

NIEUWE WEEKDIERSOORTEN (SCHELPEN) NEW SHELLED MOLLUSCAN SPECIES

. W. Faber

Newly described marine shelled molluscan (sub)species with reference to the publications in which they were introduced. Ordered per family, families sorted alphabetically. † fossil species.

Nieuw-beschreven (onder)soorten van schelpdragende mariene weekdieren met verwijzing naar de publicaties waarin zij worden geïntroduceerd. Familiegewijs gerangschikt, families in alfabetische volgorde opgenomen. † fossiele soorten.

POLYPLACOPHORA

- * *Tripoplax calypso*; *T. cowani*. Both: Clark, 2008. Both: Monterey Sea Canyon. – Amer. Malac. Bull. 25(1-2): 77-86.
- * *Deshayesiella sirenkoi*, Mariana Islands; *Placiphorella okutanii*, Japan; *P. isaotakii*, Japan. All: Saito, Fujikura & Tsuchida, 2008. – Amer. Malac. Bull. 25(1-2): 113-124.

GASTROPODA

ACLIDIDAE

- * *Cyclomidea notabilis* Poppe, 2008. Philippines. – Visaya 2(3): 40, pl. 4.

ASSIMINEIDAE

- * *Assiminea gittenbergi*; *A. avilai*; *A. rohani*; *A. glaubrechti*. All: Van Aartsen, 2008. All: Atlantic-Mediterranean seashores. – Basteria 72(4-6): 165-181.

BUCCINIDAE

- * *Nassaria callomonii* Poppe, Tagaro & Fraussen, 2008. Philippines. – Visaya 2(3): 4-5.
- * *Afer (Streptosiphon) ignifer* Fraussen & Trenkart, 2008. Senegal. – Gloria Maris 47(3): 41-47.
- * *Euthria vokesi* Fraussen & Garcia, 2008. Somalia. – Gloria Maris 47(3): 48-52.
- * *Euthria taeniopsoides* Fraussen & Alfonso, 2008. Cape Verde Archipelago. – Gloria Maris 47(3): 53-60.
- * *Chauvetia bartolomeoi* Ardonvini, 2008. Senegal. – Malacologia No. 60: 3-5.

CANCELLARIIDAE

- * † *Scalptia etrusca* Brunetti, Bella, Forli & Vecchi, 2008. Pliocene. Italy. [with English abstract] – Boll. Malacol. 44(5-8): 51-69.
- * *Scalptia aliquayensis*; *S. crispatooides*; *Syadaphera christiana*. All: Verhecken, 2008. All: Philippines. – Visaya 2(3): 7-17.

CERITHIIDAE

- * *Colina ciclostoma*; *C. pinguis madagascariensis*. Both: Bozzetti, 2008. Madagascar. – Malacologia No. 60: 7-9.

CLATHURELLIDAE

- * *Glyphostoma dedonderi* Goethaels & Monseur, 2008. Philippines. – Visaya 2(3): 33-36.

CLAVATULIDAE


- * *Perrona micro* Rolán, Ryall & Horro, 2008. Angola. [con resumen Español] – Iberus 26(1): 5-16.

COLONIIDAE

- * † *Angulataphrus? carinatus* Gründel, 2007. Lower Jura, Reinberg, Germany. – Zitteliana A47: 69-103.

COLUMBELLIDAE

- * † *Mitrella hayesorum*; *?M. phyllisae*. Both: Duerr, 2008. Miocene, NW Florida. – The Nautilus 122(3): 151-154.



Mitrella hayesorum Duerr, 2008, holotype. Right showing UV exposed pattern. – The Nautilus 122(3):152.

CONIDAE

- * *Kermia aegyptiaca*; *Etrema cratis*; *Eucithara capillara*; *E. makadiensis*; *E. villaumeae*; *E. perhumera*; *Pseudorhaphitoma uncicostata*; *P. perplexior*. All: Kilburn & Dekker, 2008. All: Red Sea. – Basteria 72(1-3): 1-19.

COSTELLARIIDAE

- * *Vexillum praefulguratum*; *V. chinoi*. Both: Poppe, 2008. Both: Philippines. – Visaya 2(3): 49-52, pls. 10-11.
- * *Vexillum (Costellaria) kimiyum* Turner, 2008. W. Australia. [mit deutscher Zusammenfassung] – Club Conchylia Informationen 39(1-2): 28-33.

CYLINDROBULLINIDAE

- * † *Ragactaeon spiralosulcata*; *Ovactaeonia circumcludera*. Both: Gründel, 2007. Lower Jura, Reinberg, Germany. – Zitteliana A47: 69-103.

CYSTISCIDAE

- * *Gibberula candida* Cossignani, 2008. Philippines. – Malacologia No. 60: 17.
- * *Cystiscus triangularis* Cossignani, 2008. Philippines. – Malacologia No. 60: 23.

DONALDINIDAE

- * † *Neodonaldina carixiana* Gründel, 2007. Lower Jura, Reinberg, Germany. – Zitteliana A47: 69-103.

DRILLIIDAE


- * *Clavus (Tylotiella) glaucozona*; *C.(T.) infuscatus*. Both: Kilburn & Dekker, 2008. Both: Red Sea. – Basteria 72(1-3): 1-19.

EOTOMARIIDAE

- * † *Glabrocingulum tingriensis* Pan & Shen, 2008. Late Permian, S Tibet. – J. Paleont. 82(5): 1038-1042.

EPITONIIDAE

- * *Alora turbinata*; *Cirsotrema browni*. Both: Poppe, 2008. Both: Philippines. – Visaya 2(3): 38-39, pl. 2-3.
- * *Epitonium mirabile*; *E. (Limiscala) christiani*; *E. (Laeviscala) sousai*. All: Bozzetti, 2008. All: Madagascar. – Malacologia No. 60: 20-22.



Epitonium mirabile Bozzetti, 2008. Holotype 15.40 x 9.25 mm. and paratype 13.70 x 8.30 mm. – Malacologia No. 60: 20.

FASCIOLARIIDAE

- * *Lamellilatirus* gen. nov.; *Lightbourneus* gen. nov.; *L. russjensi*, Bermuda; *Bullockus* gen. nov.; *B. guesti*, Bermuda; *B. pseudovarai*, Bahama Islands. All: Lyons & Snyder, 2008. – The Veliger 50(3): 225-240.

- * *Fusinus teretron*; *F. amadeus*. Both: Calmon & Snyder, 2008. Japan. – Venus 67(1-2): 1-13.

FISSURELLIDAE

- * *Emarginula gigantea* Poppe, 2008. Philippines. – Visaya 2(3): 37-38, pl. 1.

HYDROBIIDAE

- * † *Tanousia stironensis* Esu, 2008. Early Pleistocene, N. Italy. [con riassunto italiano] – Boll. Soc. Paleont. Italiana 47(1): 45-49.

MARGINELLIDAE

- * *Serrataginella boussoufae* Bozzetti & Briano, 2008. Madagascar. – Malacologia No. 60: 5-7.
- * *Volvarina pseudophilippinarum* Cossignani, 2008. Philippines. – Malacologia No. 60: 18-19.

MITRIDAE

- * *Mitra christinae*; *M. sarmientoi*; *M. cuyosae*; *M. oliverai*; *M. sarinoae*; *M. tagaroae*; *M. terryni*. All: Poppe, 2008. All: Philippines. – Visaya 2(3): 40-49, pls: 5-9.

NASSARIIDAE

- * † *Dorsanum (Duplicata) iljinae*; *D.(D.) podoimensis*; *D.(D.) tashlykensis*. All: Kravchenko, 2008. Lower and Middle Sarmatian deposits in the Driester basin of Moldova, Ukraine. – Proc. Inst. Geol. Sci. Natl. Ac. Sci. Ukraine 2008: 244-247, 534-537 (pls).

OLIVIDAE

- * *Oliva poppei* Sargent & Petuch, 2008. Philippines. – Visaya 2(3): 87-90.

OVULIDAE

- * *Primovula celzardi* Poppe, 2008. W, Indo-Pacific. – Visaya 2(3): 64-67.
- * *Primovula panthera* Omi, 2008. Japan. – Venus 67(1-2): 85-88.
- * *Phaenacovula patricae* Nolf, 2008. – Nephtuna 7(1): 1-3, pls. 1-3.
- * *Turbovula mienensis* Fehse, 2008. Italy. [mit deutscher Einleitung] – Club Conchylia Informationen 39(1-2): 47-51.
- * *Serratovula luteocincta* Celzard, 2008. E. China Sea. – Gloria Maris 47(3): 61-64.

PYRAMIDELLIDAE

- * *Oscilla notialis*; *O. aquilonia*; *Triptychus litosbathron*; *Peristichia lepta*. All: Pimenta, Santos & Absalão, 2008. Brazil. – The Veliger 50(3): 171-184,

RAPHISTOMATIDAE

- * † *Callistadia quibergensis* Pan & Shen, 2008. Late Permian, S Tibet. – J. Paleont. 82(5): 1038-1042.

RISSOIDAE

- * *Rissoina (Phosinella) tongunense* Chen, 2007. Taiwan. – Bull. Malac. Taiwan No. 31: 71-76.

ROSTELLARIIDAE

- * *Rostellariella barbieri* Morrison, 2008. S Cebu, Philippines. [mit deutscher Kurzfassung] – Club Conchylia Informationen 39(3-4): 26-31.

SPHAEROCINIDAE

- * *Hameconia* gen. nov.; † *H. edmindi* Janssen, 2008. – Basteria 72(4-6): 159-163.

SKENEIDAE

- * † *Palazzia prisca* Gründel, 2007. Lower Jura, Reinberg, Germany. – Zitteliana A47: 69-103.

TEREBRIDAE

- * *Impages trilineata*; *Hastula tenuicolorata*; *H. albofuscata*; *H. androyensis*; *Strioterebrum varia*; *Euterebra fuscoluteata*. All: Bozzetti, 2008. All: S. Madagascar. – Malacologia No. 60: 9-14.

TOFANELLIDAE

- * *Reinbergia* nov. gen.; † *R. inflata* Gründel, 2007. Lower Jura, Reinberg, Germany. – Zitteliana A47: 69-103.

TRICHOTROPIDAE

- * † *Ariadnaria ainikta*; *A. aldersoni*; *Lysis mickeyi*; *L. jalamacia*; *L. lomaensis*; *Garzasia* n. gen.; *G. diabla*. All: Saul & Squires, 2008. Pacific slope of North America, Cretaceous. – The Nautilus 122(3): 115-142.

TRIPHORIDAE

- * 26 new species belonging to the genera *Metaxia* (3), *Isotriphora* (1), *Eutriphora* (1), *Marshallora* (2), *Inella* (8), *Sagenotriphora* (2), "Triphora" (9). All: Caribbean. Rolán & Fernández-Garcés; Rolán & Lee or Rolán & Redfern, 2008. [con resumen Español] – Iberus 26(1): 81-170.

TRIVIIDAE

- * *Trivella lowtheri* Beals, 2008. South Africa. – Visaya 2(3): 29-32.

TROCHIDAE

- * *Gibbula guishanensis* Chen & Fu, 2007. Taiwan. – Bull. Malac. Taiwan No. 31: 65-70.

TURRIDAE

- * *Mangelia melitensis* Cachia & Mifsud, 2008. Mediterranean Sea. [con resumen Español] – Iberus 26(1): 65-68.
- * *Ptychobela dancei*, Yemen, Oman, Somalia; *Crassispira safagaensis*, Red Sea. Both: Kilburn & Dekker, 2008. – Basteria 72(1-3): 1-19.

- * *Oenopota weirichi* Engl, 2008. Antarctic. [mit deutscher Zusammenfassung] – Club Conchylia Informationen 39(3-4): 49-53.

- * *Pleurotomella maitasi*; *P. raineri*. Both: Engl, 2008. Antarctic. [mit deutscher Zusammenfassung] – Club Conchylia Informationen 39(3-4): 57-59.

VERMETIDAE

- * *Dendropoma mejillonensis* Pacheco & Lautien, 2008. N. Chile. – The Veliger 50(3): 219-224.

VOLUTIDAE

- * *Nannamoria breviforma*; *N. gotoi curta*; *N. bulbosa*; *N. inflata*. All: Poppe, 2008. All:

E. Australia. – Visaya 2(3): 68-86.

- * *Lyria (Mitraelyria) cleaveri* Morrison, 2008. SWAustralia. – Club Conchylia Informationen 39(3-4): 20-25.

XYLODISCULIDAE

- * *Xylodiscula wareni* Bogi & Bartolini, 2008. Sicily, Italy. [con resumen Español; con riassunto italiano] – Iberus 26(1): 43-46.

ZYGOPLEURIDAE

- * † *Levipleura angulata* Gründel, 2007. Lower Jura, Reinberg, Germany. – Zitteliana A47: 69-103.

BIVALVIA

CUSPIDARIIDAE

- * *Rhinoclama (Rhinoclama) tsugaruensis* Yamazaki, 2008. N. Japan. – Venus 67(1-2): 41-52.

MYTILIDAE

- * *Lithophaga (Leiosolenus) parapurpurea*; *L. (L.) dahabensis*. Both: Kleemann, 2008. Red Sea. [mit deutscher Zusammenfassung] – Club Conchylia Informationen 39(3-4): 32-45.

PECTINIDAE

- * *Serratovolva angusticostata* Dijkstra, 2008. Indo-West Pacific. – Basteria 72(1-3): 57-63.

- * † *Delectopecten neuquensis* Del Rio, Beu & Martinez, 2008. Paleocene, Patagonia, Argentina. – N. Jb. Geol. Paläont. Abh. 249(3): 281-295.

- * *Talochlamys inaequalis* Dijkstra & Moolenbeek, 2008. Kalimantan, Indonesia. – Venus 67(1-2): 15-26.

PHOLADIDAE

- * *Jouannezia (Pholadopsis) spinosa* Haga & Kase, 2008. W. Pacific. – Venus 67(1-2): 27-40.

POROMYIDAE

- * *Dilemma japonicum* Sasaki & Leal, 2008. NW Pacific. – The Nautilus 122(3): 168-170.

PROPEAMUSSIIDAE

- * † *Parvamussum bayosense* Del Rio, Beu & Martinez, 2008. Paleocene, Patagonia, Argentina. – N. Jb. Geol. Paläont. Abh. 249(3): 281-295.


- * *Parvamussum caesicum* Dijkstra & Moolenbeek, 2008. Kalimantan, Indonesia. – Venus 67(1-2): 15-26.

VENERIDAE

- * *Meretrix tigris* Lai & Nien, 2007. Taiwan. – Bull. Malac. Taiwan No. 31: 23-30.

SCAPHOPODA

- * *Heteroschismoides meridionalis*, Brazil; *H. antipodes*, Solomon Islands. Both: Scarabino & Soares Caetano, 2008. – The Nautilus 122(3): 171-177.



TIJDSCHRIFTARTIKELEN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.

GENERAL / ALGEMEEN

- * COLGAN, D.J., P.A. HUTCHINGS & E. BEACHAM, 2008. – Multi-Gene Analyses of the Phylogenetic Relationships among the Mollusca, Annelida and Arthropoda. – *Zool. Stud.* 47(3): 338-351.
- * VILLALOBOS-ROJAS, F., A.G. GUZMÁN-MORA & Y.E. CAMACHO-GARCÍA, 2008. – Catalogue of the type material of molluscs deposited at the Zoology Museum, University of Costa Rica. – *The Nautilus* 122(3): 155-165.

REGIONAL / REGIONAAL

- * DEKKER, H. & L.J. VAN GEMERT, 2008. – A new list with corrections to the shells pictured in “Red Sea Shells” 1984 by Doreen Sharabati. [met Nederlandse samenvatting] – *De Kreukel* 44(7-8): 123-136.
- * GEMERT, L. VAN, 2007. – De schelpenverzameling van Carl Friedrich Jickeli naar de Rode Zee in 1870-71. – *De Kreukel* 43(10): 153-192.
- * MAZZIOTTI, C., F. AGAMENNONE & M. TISSELLI, 2008. – Checklist della malacofauna delle Isole Tremiti (Medio Adriatico). [with English abstract] – *Boll. Malacol.* 44(5-8): 71-86.
- * TÜRKAY, M., 2008. – Veränderung der Biodiversität in den deutschen Küstengewässern der südlichen Nordsee. – *Natur und Museum* 138(5-6): 118-129.

POLYPLACOPHORA (Class)

- * BUCKLAND-NICKS, J., 2008. – Fertilization biology and the evolution of chitons. – *Amer. Malac. Bull.* 25(1-2): 97-111.
- * CLARK, R.N., 2008. – *Mopalia kennerleyi* Carpenter, 1864, a forgotten species and its southern analogue *Mopalia ciliata* (Sowerby, 1840). – *Amer. Malac. Bull.* 25(1-2): 71-76.
- * JÖRGER, K.M., R. MEYER & L.S. WEHRTMANN, 2008. – Species composition and vertical distribution of chitons in a rocky intertidal zone of the Pacific coast of Costa Rica. – *JMBA* 88(4): 807-816.
- * POJETA, J. & J. DUFOE, 2008. – New information about *Echinochiton dufoei*, the Ordovician spiny chiton. – *Amer. Malac. Bull.* 25(1-2): 25-34.
- * PUCHALSKI, S.S., D.J. EERNISSE & C.J. JOHNSON, 2008. – The effect of sampling bias on the fossil record of chitons. – *Amer. Malac. Bull.* 25(1-2): 87-95.
- * SAITO, H., K. FUJIKURA & S. TSUCHIDA, 2008. – Chitons associated with hydrothermal vents and methane seeps around Japan. – *Amer. Malac. Bull.* 25(1-2): 113-124.

- * SHAW, J.A. ET AL., 2008. – Methods of sample preparation of radula epithelial tissue in chitons. – *Amer. Malac. Bull.* 25(1-2): 25-41.
- * SIGWART, J.D., 2008. – Gross anatomy and positional homology of gills, gonopores, and nephridiopores in “basal” living chitons. – *Amer. Malac. Bull.* 25(1-2): 43-49.
- * VENDRASCO, M.J., C.Z. FERNANDEZ, D.J. EERNISSE & B. RUNNEGAR, 2008. – Aestheite canal morphology in the Mopaliidae. – *Amer. Malac. Bull.* 25(1-2): 51-69.

GASTROPODA

REGIONAL / REGIONAAL

- * GULBIN, V.V. & E.M. CHABAN, 2007. Catalogue of the shell-bearing gastropods in the Russian waters of the Sea of Japan. Art. 2. [in Russian] – *Bull. Russian Far East Malac. Soc.* 11: 5-30.

ACMAEIDAE

- * SASAKI, T., T. MARSUBARA, Y. ITO & K. AMANO, 2008. – Illustrations of Cenozoic molluscan type specimens preserved in The University Museum, The University of Tokyo, Part 1. Four species of Patellogastropoda described as *Acmaea*. [in Japanese] – *Chiribotan* 39(1): 35-41.

ARCHITECTONICIDAE


- * MIFDSUD, C. & P. OVALIS, 2008. – Re-discovery of living specimens of *Heliacus (Gyriscus) jeffreysianus* (Tiberi, 1867). [con resumen Español] – *Iberus* 26(1): 1-4.

ASSIMINEIDAE

- * AARTSEN, J.J. VAN, 2008. – The Assimineidae of the Atlantic-Mediterranean seashores. – *Basteria* 72(4-6): 165-181.


ATYDIDAE

- * UENG, Y-T., 2007. – *Cylichnatys*



Reconstruction of *Echinochiton dufoei*. Size about 1.0 x. - *Amer. Malac. Bull.* 25(1-20): 29.

angusta, a new record of Atyidae from Taiwan. – *Bull. Malac. Taiwan* No. 31: 31-34.



Cylichnatys angusta. – *Bull. Malac. Taiwan* No. 31: 34.

BUCCINIDAE

- * DUMONT, C.P., J.-S. ROY & J.H. HIMMELMAN, 2008. – Predation by the sea urchin *Strongylocentrotus droebachiensis* on capsular egg masses of the whelk *Buccinum undatum*. – *J. Mar. Biol. Ass. UK* 88(5): 1025-1031.

CALYPTRAEIDAE

- * See under Fossils: other fossils: Saul & Squares.

CANCALLARIIDAE

- * BRUNETTI, M.M., G.D. BELLA, M. FORLI & G. VECCHI, 2008. – La famiglia Cancellariidae Gray J.E., 1853 nel Pliocene italiano: note sui generi *Scalpia* Jousseaume, 1887, *Tribia* Jousseaume, 1887, *Contortia* Sacco, 1894, *Trigonostoma* Blainville, 1827 e *Aneuryystoma* Cossmann, 1899, [with English abstract] – *Boll. Malacol.* 44(5-8): 51-69.

CERITHIIDAE

- * HASEGAWA, K. & H. IKEDA, 2008. – On some species of the genus *Cerithium* from Japanese waters. [in Japanese] – *Chiribotan* 39(1): 15-19.


CLAVATULIDAE

- * ROLÁN, E., P. RYALL & J. HORRO, 2008. –

Notes on West African *Perrona*.... [con resumen Española] – Iberus 26(1): 5-16.

COLLONIIDAE

- * MCLEAN, H. & S. GOFAS, 2008. – Notes on the genus *Anadema* H. and A. Adams, 1854. [con resumen Española] – Iberus 26(1): 53-63.



Anadema macandrewii (Mörcz, 1864). Drawing of living specimen. - Iberus 26(1): 58.

CONIDAE

- * ESPINO, S.S. ET AL., 2008. – Feeding behavior, phylogeny, and toxinology of *Conus furvus* Reeve, 1843. – The Nautilus 122(3): 143-150.
- * NIEDERHÖFER, H.-J. & M. BLÖCHER, 2008. – Continuous variation of a *Conus textile*-population from Madagascar. – Club Conchylia Informationen 39(3-4): 47-48.

CYPRAEIDAE

- * BUISE, J.A., 2008. – The shell most often written about: *Cypraea moneta* Linnaeus, 1758. [mit deutscher Zusammenfassung] – Club Conchylia Informationen 39(1-2): 2-16.
- * DONEDDU, M., 2008. – I generi *Erosaria* Troschel, 1863 e *Naria* Broderip, 1837. Osservazioni sul loro utilizzo. [with English abstract] – Boll. Malacol. 44(5-8): 49-50.
- * LORENZ, F., 2008. – Notes on Pacific Cypraeidae collected by the MNHN, Paris. [mit deutscher Zusammenfassung] – Club Conchylia Informationen 39(1-2): 17-27.

EULIMIDAE

- * GONZÁLEZ-VALLEJO, N.E., 2008. – Parasitism of *Monogamus minibulla* (Olsson and McGinty, 1958) on the red sea-urchin *Echinometra lucunter* (Linnaeus, 1758) on the Caribbean coast of Mexico. – The Nautilus 122(3): 178-181.
- * NISHIMURA, K., 2008. – *Trochostilifer* sp. from Chichi-jima Island, Ogasawara Islands, Japan. [in Japanese] – Chiribotan 39(1): 20-21.

FASCIOLARIIDAE

- * CALLOMON, P. & M.A. SNYDER, 2008. – On the Genus *Fusinus* in Japan IV: *F. longisimus* (Gmelin, 1791) and – Venus 67(1-2): 1-13.
- * MALLARD, D., 2008. – Révision des *Latirus*. [partly also in English] – Xenophora No. 124: 18-21.

HALIOTIDAE

- * OWEN, B., 2008. – Home culture of Greek

Haliotis in sixteen-liter bathroom aquariaums: a brief report and photo study. – Of Sea and Shore 27(4): 223-230.

- * OWEN, B., 2008. – A photo study and brief description of the little-known abalone *Haliotis unilateralis* Lamarck, 1822, and designation of *H. barbouri* Foster, 1946, as a junior synonym. – Of Sea and Shore 27(4): 229-235, 237.
- * OWEN, B., 2008. – A new world record specimen of *Haliotis midae* Linnaeus, 1758, is discovered. – Of Sea and Shore 27(4): 243-248.
- * OWEN, B., 2008. – Notes on the flat abalone *Haliotis walallensis* Stearns, 1899, some miscellaneous information and photo study of this uncommon west coast *Haliotis* species. – Of Sea and Shore 27(4): 249-258.

- * OWEN, B., 2008. – The *Haliotis* subspecies of south and west Australia, part 2: *H. scalaris scalaris* Leach, 1814, and *H. scalaris emmae* Reeve, 1846. A brief description and photostudy. – Of Sea and Shore 27(4): 277-281.

JANTHINIDAE

- * SUSUKI, A. & K. SHIGA, 2008. – Stranding record of violet shell *Janthina (Violetta) prolongata* on Ishikari Beach, Hokkaido, in the autumn of 2007. [in Japanese with English abstract] – Chiribotan 39(1): 22-24.

MURICIDAE

- * CUDNEY-BUENO, R., R. PRESCOTT & O. HINOJOSA-HUERTA, 2008. – The black murex snail, *Hexaplex nigritus* in the Gulf of California, Mexico. I. Reproductive ecology and breeding aggregations. – Bull. Mar. Sci. 83(2): 285-298.
- * CUDNEY-BUENO, R. & K. ROWELL, 2008. – The black murex snail, *Hexaplex nigritus* in the Gulf of California, Mexico. II. Growth, longevity, and morphological variations for management of a rapidly declining fishery. – Bull. Mar. Sci. 83(2): 299-313.
- * LANDAU, B., R. HOUART & C.M. DA SILVA, 2007. – The Early Pliocene Gastropoda of Estepona, Southern Spain, Part 7: Muricidae. – Palaeontos No. 11: 1-87, pls. 1-15.

NASSARIIDAE

- * SEGERS, W., E. ROLÁN & F. SWINNEN, 2008. – Study and Separation of Two Species Treated as *Nassarius pfeifferi* (Philippi, 1844) – Visaya 2(3): 18/28.

NERITIDAE

- * TAN, S.K. & R. CLEMENTS, 2008. – Taxonomy and Distribution of the Neritidae in Singapore. – Zool. Studies 47(4): 481-494.
- * VERMEIJ, G.J. & M.A. FREY, 2008. – Almost terrestrial: Small supratidal species of *Nerita* in the Western Pacific. – Basteria 72(4-6): 331-343.

OVULIDAE

- * TUSKES, P.M. & J.A. KELLY, 2008. – Observations and biology of *Neosimnia barbarensis* and its sea pen host in Mis-

sion Bay, San Diego, California. – The Festivus 40(10): 117-120.

- * HERTZ, C.M., 2008. – Growth changes in *Jenneria pustulata* (Lightfoot, 1786). – The Festivus 40(10): 121-122.

PATELOGASTROPODA (order)

- * CHERNSHEV, A.V. & T.V. CHERNOVA, 2007. – Keys to patellogastropods in the Far Eastern seas of Russia. [in Russian] – Bull. Russian Far East Malac. Soc. 11: 65-74.

PICKWORTHIIDAE


- * SOSSO, M., M. LAROSA, B. DELL'ANGELO, A. BONIFITTO & S. SCHIAPARELLI, 2008. – Nuovi record di *Mareleptopoma minor* (Almera & Bofill, 1898) per il Pliocene Italiano. [with English abstract] – Notiziario S.I.M. 26(1-8): 13-16.

PTEROPODA (Order)

- * NIGRO, D.T. & R.R. SEAPY, 2008. – Diel Patterns of Vertical Distribution in Euthecosomatous Pteropods of Hawaiian Waters. – The Veliger 50(3): 190-209.

PYRAMIDELLIDAE

- * PIMENTA, A.D., F.N. SANTOS & R.S. ABSALÃO, 2008. – Review of the genera *Ividia*, *Folinella*, *Oscilla*, *Pseudocilla*, *Tryptichus* and *Peristichus* from Brazil,..... The Veliger 50(3): 171-184.



A-D: *Tritychus niveus* Mörcz, 1875; E-I: *T. lithobatron* n. sp., E holotype, F-I paratypes. Scale bars 200 µm. - The Veliger 50(3): 179.


STROMBIDAE

- * DEKKERS, A.M., 2008. – Revision of the family Strombidae on the supra specific level. – De Kreukel 44(3-4): 35-64.
- * DEKKERS, A.M., 2008. – The origin of the family Strombidae, Part one: an analysis derived from literature. – De Kreukel 44(3-4): 65-87.
- * KRONENBERG, G.C., 2008. – An intergeneric hybrid with remarks on the subdivision of Indo-Pacific *Tricornis*. – Basteria 72(4-6): 331-343.
- * VERMEIJ, G.J., 2008. – Het Herstel van een Verkreukelde Reputatie. – De Kreukel 44(6): 111.

TEREBRIDAE

- * LARRAZ, M.L., E. ROBLES & E. MONTILLA, 2008. – Cicatrización de la concha en

ejemplares de la familia terebridae. – Notiziario SEM No. 49: 70-72.



Supposed hybrid *Lambis lambis* (L., 1758) x *Sinustrombus latissimus* (L., 758), Vietnam. – Basteria 72(4-6): 334.

TORNIDAE

- * HERTZ, C.M. & C. SKOGLUND, 2008. – An undescribed Panamic *Cyclostremiscus*. – The Festivus 40(8): 93-94.

TRIPHORIDAE

- * ROLÁN, E. & F. FERNÁNDEZ-GARCÉS, 2008. – New data on the Caribbean Triphoridae [con resumen Española] – Iberus 26(1): 81-170.

TROCHIDAE

- * WILLIAMS, S.T., S. KARUBE & T. OZAWA, 2008. – Molecular systematics of Vetiagastropoda: Trochidae, Turbinidae and Trochoidea redefined. – Zool. Scripta 37(5): 483-506.

TURBINIDAE

- * See under Trochidae.

VOLUTIDAE

- * BAIL, P. & A. LIMPUS, 2008. – Consideration on Recent Species of the Genus *Nannamoria* Iredale, 1929..... – Visaya 2(3): 68-86.

SLUGS / NAAKTSLAKKEN

- * CAMACHO-GARCIA, Y.E. & T.M. GOSLINER, 2008. – Nudibranch dorids from the Pacific Coast of Costa Rica with the description of a new species. [*Atagema notacristata*] – Bull. Mar. Sci. 83(2) 367-389.
- * HERMOSILLO, A. & Á. VALDÉS, 2008. – Two New Species of Opisthobranch Mollusks from the Tropical Pacific. [con resumen espagnola][*Cuthona riosi*, *Berthella grovesi*] – Proc. Calif. Ac. Sci. (4th Series) 59(8-13):521-532.
- * JENSEN, K.R., 2007. – The Opisthobranch molluscs collected during the Thai-Danish bioshelf project in the Andaman Sea, Thailand. – Phuket Mar. Biol. Cent. Res. Bull. No. 68: 21-30.
- * POLA, M., J.L. SERVERA & T.M. GOSLINER, 2008. – Description of the first *Roboastraea* species from the Western Atlantic. [*R. ricei*] – Bull. Mar. Sci. 83(2) 391-399.
- * TROWBRIDGE, C.D., C. LITTLE, P. STIRLING & W.F. FARNHAM, 2008. – Sacoglossan gastropods on native and introduced hosts in Lough Hyne, Ireland: larval retention and population asynchrony? – JMBA

88(4): 771-782.

- * VALDÉS, Á. & J. HAMANN, 2008. – Two new Species of *Doriopsilla* from the Tropical Western Atlantic, with Remarks on Cariopsillidae Ortea & Espinosa, 2005. – The Veliger 50(3): 210-218.

BIVALVIA

GENERAL / ALGEMEEN

- * ROBIN, A., 2008. – Les Bivalves un casse-tête ! – Xenophora No. 124: 9.

REGIONAL / REGIONAAL

- * HAGUMA, N., 2008. – Abundance of bivalves inhabiting mud flats in Seto Inland Sea, Japan. [in Japanese with English abstract] – Chiribotan 39(1): 30-34.
- * JARAMILLO, E. ET AL., 2008. – Sedimentary characteristics, macrofauna and types abundances of bivalves in a tidal flat of the nord-Patagonic archipelago, Chile. – Vie et Milieu 58(1): 11-23.
- * TAMAYO GOYA, J.C., 2008. – Catálogo de los bivalvos marinos del sector central del Golfo de Valencia (España). [with English abstract] – Iberus 26(1):

ARCIDAE

- * MAZZIOTTI, C., F. AGAMENNONE, E. RINALDI & MORENA TISSELLI, 2008. – Osservazioni su di un interessante esemplare di *Arca* dalle Isole Tremiti. [with English abstract] – Notiziario S.I.M. 26(1-8): 17-18.

CARDIIDAE

- * BERGAYOU, H., A. MOUKRIM, M. MATHIEU & J.-P. GIMAZANE, 2008. – Reproduction of the cockle *Cerastoderma edule* (Linné, 1758) in the estuary of Oued Souss (south-western Morocco). [con resumen Española] – Iberus 26(1): 29-42.
- * GENELT-YAOVSKY, E.A., 2007. – Common cockle *Cerastoderma edule* on the north-eastern border of the distributional range (Murman coast, Barents Sea) [in Russian with English abstract] – Bull. Russian Far East Malac. Soc. 11: 107-115.
- * KROMMENHOEK, W., 2008. – Frequency of Faceting in Cockles on a Dutch coast. – Of Sea and Shore 27(4): 242.

HEMIDONACIDAE

- * HEALY, J.M., P.M. MIKKELSEN & R. BIELER, 2008. – Sperm ultrastructure in *Hemidonax pictus*: comparison with other heterodonts, especially Cardiidae, Donaciidae and Crassatelloidea. – Zool. J. Linnean Soc. 153(2): 325-347.

HIATELLIDAE

- * SIMONE, L.R.L. & P.E. PENCHASZADEH, 2008. – Redescription of *Hiatella meridionalis* d'Orbigny, 1846 from Argentina. – Papéis Avulsos de Zool. 48(14): 119-127.

MACTRIDAЕ

- * MELCHERS, M. & R.G. MOOLENBEEK, 2008. – *Rangia cuneata* (Sowerby, 1831), de ‘Amerikaanse Brakwater Strandschelp’ in het IJ bij Amster-

dam. – De Kreukel 44(6): 107.

MONTACUTIDAE

- * PETERSEN, G.H. & J. LÜTZEN, 2008. – Morphology of *Myserilla moelleri* (Mörch, 1877) and *Mysella sovaliki* MacGinitie, 1959, with notes on their biology. – Steenstrupia 30(1): 67-79.

MYIDAE


- * ROLÁN, E. & R. ACUÑA, 2008. – *Mya arenaria* en Galicia. Notiziario SEM No. 49: 48-49.

MYTILIDAE

- * BIANDOLINO, E. PRATO & C. CAROPPO, 2008. – Preliminary investigation on the phytoplankton contribution to the mussel diet on the basis of fatty acids analysis. – J. Mar. Biol. Ass. UK 88(5): 1009-1017.

- * EVSEEV, N.K. KOLOTUKHINA & O.YA. SEMENIKHINA, 2007. – Early stage morphogenesis of *Crenella decussata*, taxonomy and phylogeny of paedomorphic taxa of the Crenellinae. [in Russian with English abstract] – Bull. Russian Far East Malac. Soc. 11: 49-64.

- * JANSEN, A.F.J., 2007. – *Musculus subpictus* (Cantraine, 1835) nieuw voor de Nederlandse Eemfauna (Almere). – De Kreukel 43(7): 101.



Musculus subpictus (Cantraine, 1835), Nederlandse Eemfauna. – De Kreukel 43(7):101.

- * MOUKRIM, A. ET AL., 2008. – Pattern of reserve storage of the two mussel species *Perna perna* and *Mytilus galloprovincialis* living on Moroccan coasts: annual variation and effect of pollution. [con resumen Española] – Iberus 26(1): 17-28.

- * OWADA, M., 2008. – The First Record of *Leiosolenus simplex* (Iredale, 1939) Boring into *Plesiastrea versipora* from Minamata Bay in Japan. – Venus 67(1-2): 81-84.

- * TUNALI, Y & M. ERKAN, 2008. – A structural study of functional cells in hepatopancreas of *Mytilis galloprovincialis* Lamarck, 1819. – Pakistan J. Zool. 40(2): 109-114.

OSTREIDAE

- * CADÉE, G.C., 2008. – Oystercatcher *Haematopus ostralegus* catching Pacific oysters *Crassostrea gigas*. – Basteria 72(1-3): 25-31.

- * CADÉE, C.G., 2008. – Herring gulls feeding again on Pacific oysters *Crassostrea gigas* in the Dutch Wadden Sea near Texel. – Basteria 72(1-3): 33-36.

- * FORLI, M., P. FREDIANI & M. CRESTI, 2008.

- Il legamento fossilizzato di *Ostrea lamellosa* (Brocchi, 1814). — Notiziario S.I.M. 26(1-8): 19.
- * TYDEMAN, P., 2008. — Japanse oesters naar de (Wadden)zee gedragen? — Het Zee-paard 68(4): 109-114.

PECTINIDAE

- * DIJKSTRA, H.H. & R.G. MOOLENBEEK, 2008. — Some Pectinoidea (Propeamusiidae and Pectinidae) from the Berau Islands (East Kalimantan, Indonesia). — Venus 67(1-2): 15-26.
- * IBA, Y. & S. SANO, 2008. — Paleobiogeography of the pectinid bivalve *Neithea*, and its pattern of step-wise demise in the Albian Northwest Pacific. — Palaeo 267(1-2): 138-146.
- * IVIN, V.V. & V.Z. KALASHNIKOV, 2007. — Scallops of the Russian waters of north-western Pacific. Part 2. Fishing and aquaculture. — Bull. Russian Far East Malac. Soc. 11: 31-48.
- * RIO, C.J. DEL, A.G. BEU & S.A. MARTINEZ, 2008. — The pectinoidean genera *Delectopecten* Stewart, 1930 and *Parvamussium* Sacco, 1897 in the Danian of Northern Patagonia, Argentina. — Neues Jb. Geol. Paläont. 249(3): 281-295.

PROPEAMUSIIDAE


- * See under Pectinidae.

SPONDYLIDAE

- * DARDANO, M., 2008. — Notes on *Spondylus maestratii* Lamprell & Healy, 2001. — Of Sea and Shore 27(4): 259-261.
- * DARDANO, M., 2008. — An elusive species: *Spondylus proneri* Lamprell & Healy, 2001. — Of Sea and Shore 27(4): 260-262.

TEREDINIDAE

- * CLIFTON, T., 2008. — Retrieval and Dissection of Shipworm Timber. — Molluscs World No.17: 4-6.
- * CLIFTON, T., 2008. — 2007 — The Year of the Shipworm. — Molluscs World No.17: 7-8.



THRACIIDAE

- * JANSEN, A.F.J., 2007. — Nieuwe *Thracia*-soorten voor de Nederlandse Eemfauna. — De Kreukel 43(9): 140.
- * JANSEN, A.F.J., 2008. — *Thracia (Thracia) villosiuscula* (Macgillivray, 1827) nieuw voor de Nederlandse Eemfauna. — De Kreukel 44(5): 101.

VENERIDAE

- * SINGER, B.S. & H.K. MIENIS, 2008. — Shells of East Sinai, an illustrated list: Veneridae. Part 1. — Triton No. 18: 1-4.
- * SINGER, B.S., 2008. — A diagnostic aid to "Shells of East Sinai, an illustrated list: Veneridae. Part 1. — Triton No. 18: 5-7.

CEPHALOPODA

NAUTILIDAE

- * KRUTA, I. & N.H. LANDMAN, 2008. — Injuries on Nautilus Jaws: Implications for the Function of Ammonite Aptychi. — The Veliger 50(3): 241-247.

OTHER CEPHALOPODA

- * BOSMAN, J. & M. HAARSMA, 2008. — Zebra's onder water. — Onderwatersport 39(oct): 42-45.
- * IBÁÑEZ, C.M. & J.V. CHONG, 2008. — Feeding ecology of *Enteroctopus megalocyathus* (Octopodidae) in southern Chile. — JMBA 88(4): 793-798.
- * NABHITABHATA, J. & J. SUWANAMALIA, 2008. — Reproductive behaviour and cross-mating of two closely related pygmy squids *Idiosepius biserialis* and *Idiosepius thailandicus*. — J. Mar. Biol. Ass. UK 88(5): 987-993.
- * ÖNSÖY, B., V. LAPTIKHOVSKY & A. SALMAN, 2008. — Reproductive biology of the Patagonian bobtail squid, *Semirossia patagonica* in the south-west Atlantic. — J. Mar. Biol. Ass. UK 88(5): 1019-1023.
- * YOUNG, R.E., A. LINDGREN & M. VECCHIONE, 2008. — *Mastigoteuthis microlucens*, a new species of the squid family Mastigoteuthidae. — Proc. Biol. Soc. Washington 121(2): 276-282.

SCAPHOPODA

ENTALINIDAE

- * SCARABINO, V. & C.H. SOARES CAETANO, 2008. — On the genus *Heteroschismoides* Ludbrook, 1960, — The Nautilus 122(3): 171-177.

FOSSILS / FOSSIELEN

GENERAL / ALGEMEEN

- * KIDWELL, S.M., 2008. — Ecological fidelity of open marine molluscan death assemblages: effects of post-mortem transportation, shelf health, and taphonomic inertia. — Lethalia 41(3): 199-217.

REGIONAL / REGIONAAL

- * POWELL, C.L. & M. McCANN, 2008. — Late Pleistocene and Holocene mollusks and foraminifers from near Cordell Bank, offshore central California; their age and environment significance. — The Festivus 40(9): 101-114.

CEPHALOPODA

- * ALY, M.F.A., A. SMADI & H. ABU AZZAM, 2008. — Late Cenomanian-Early Turonian ammonites of Jordan. [with English abstract] — Rev. de Paléobiologie 27(1): 43-71.
- * ARKADIEV, V.V., 2008. — Representatives of the Family Bochianitidae (Ammonoidea) from the Lower Cretaceous of the

Crimean Mountains. — Paleont. J. 42(5): 18-26.

- * BERT, D., 2008. — Description de deux nouvelles ammonites hétéromorphes albiennes des genres *Astiericeras* Parona & Bonarelli, 1897 et *Triplaniceras* nov. gen. (Crétacé inférieur, sud-est de la France) — Implications évolutives et taxonomiques. — Rev. de Paléobiologie 27(1): 73-79.

- * BOURILLOT, R., P. NEIGE, A. PIERRE & C. DURLET, 2008. — Early-Middle Jurassic lytoceratid ammonites with constrictions from Morocco: palaeobiographical and evolutionary implications. — Palaeontology 51(3): 597-609.

- * BRÜHWILER, T., A. BRAYARD, H. BUCHER & K. GUODUN, 2008. — Griesbachian and Dienerian (Early Triassic) ammonoid faunas from northwestern Guangxi and southern Guizhou (south China). — Palaeontology 51(5): 1151-1180.

- * DIETZE, V., G. SCHWEIGERT, J.H. CALLOMON, G. DIETL & M. KAPITZKE, 2007. — Der Mitteljura des Ipf-Gebiets (östliche Schwäbische Alb, Süddeutschland). Korrelation der süddeutschen Ammoniten-Faunenhorizonte vom Ober-Bajocium bis zum Unter-Callovium mit Süddengland und Frankreich. [with English abstract] — Zitteliana A47: 105-125.

- * DOMMERGUES, J.-L. ET AL., 2008. — Les ammonites du Pliensbachien et du Toarcien basal dans la carrière de la Roche Blain (Fresnay-le-Puceux, Calvados, Basse-Normandie, France). Taxonomie, implications stratigraphiques et paléobiogéographiques. — Rev. de Paléobiologie 27(1): 265-329.

- * FUCHS, D., C. IFRIM & W STINNESBECK, 2008. — A new *Palaeoctopus* from the Late Cretaceous of Vallecillo, north-eastern Mexico, and implications for the evolution of Octopoda. — Palaeontology 51(5): 1129-1139.

- * FUCHS, D. & R. WEIS, 2008. — Taxonomy, morphology and phylogeny of Lower Jurassic loligosepiid coleoids. — N. Jb. Geol. Paläont. Abh. 249(1): 93-112.

- * GALÁCZ, A., 2008. — *Parkinsonia parkinsonia* Zone (upper Bajocian, Middle Jurassic) ammonites from Monte Kumeta (Western Sicily). [con riassunto italiano] — Boll. Soc. Paleont. Italiana 47(1): 51-69.

- * GNOLI, M. & P. SERVENTI, 2008. — A new cephalopod from the Early Silurian of the Carnic Alps (Italian side). — Rev. Paleont. Stratigr. 114(2): 171-178.

- * HOFFMANN, R. & H. KEUPP, 2008. — Ammoniten, die man kennen muss Lytocraten. [with English abstract] — Fossilien 2008(4): 242-249.

- * HOUSE, M.R. & W.T. KIRCHGASSER, 2008. — Late Devonian Goniatites from New York State. Bull. Amer. Paleont. No. 374: 1-288.


- * JAGGI, C., 2008. — *Creniceras? piae* n. sp. (Oppeliidae) aus der Scarburgense-Subzone des Weymouth-Members von Warboys Clay Pit, England. [with English abstract] — Rev. de Paléobiologie 27(1): 113-122.

- * LATIL, J.-L., 2008. – A revision of *Amaltheus ebrayi* De Loriol, 1882, type species of the genus *Parengonoceras* Spath, 1924. – Rev. de Paléobiologie 27(1): 249-264.
- * LONGRIDGE, L.M., J. PÁLFY, P.L. SMITH & H.W. TIPPER, 2008. – Middle and late Het-tangian (Early Jurassic) ammonites from the Queen Charlotte Islands, British Columbia, Canada. – Rev. de Paléobiologie 27(1): 191-223.
- * SATO, T. ET AL., 2008. Newly collected Late Jurassic ammonites from Kurisaka, Tokushima Prefecture, Japan. – Bull. Tokushima Pref. Mus. No. 18: 1-20.
- * SCHILAMPP, V., 2008. – Neufund von *Sphaerodomes eboli* Schweigert aus Böttingen. [with English abstract] – Fossilien 2008(4): 210-212.
- * SCHWEIGERT, G. & G. BLOOS, 2008. – Ammoniten im Bonebed. [in German with English abstract] – Fossilien 2008(5): 290-292.
- * SIMONSEN, S., 2008. – Verkieste Ammoniten in Bielefeld. [in German with English abstract] – Fossilien 2008(5): 306-309.
- * TOMAŠOVÝCH, A. & J. SCHLÖGL, 2008. – Analyzing variations in cephalopod abundances in shell concentrations: The combined effects of production and density-dependent cementation rates. – Palaios 23(9-10): 648-666.

OTHER FOSSILS / ANDERE FOSSILEN

- * CHRISTOFFER, A., M. ROBERTS, L. KRYSTYN & A. SHEA, 2008. – Rhaetian (Late Triassic) *Monotis* (Pectinoida) from the eastern northern calcareous Alps (Austria) and the End-Norian crisis in pelagic faunas. – Palaeontology 51(3): 721-735.
- * FANG, Z.-J. & J.C.W. COPE, 2008. – Affinities and palaeobiogeographical significance of some Ordovician bivalves from East Yunnan, China. – Alcheringa 32(3): 297-312.
- * FORLI, M. & M. CRESTI, 2008. – Su alcune conchiglie plioceniche con tracce di colorazione. – Notiziario S.I.M. 26(1-8): 20.
- * GRIFFIN, M. & S.N. NIELSEN, 2008. – A revision of the type specimens of Tertiary molluscs from Chile and Argentina described by d'Orbigny (1842), Sowerby (1846) and Hupé (1854). – J. Syst. Palaeont. 6(3): 251-316.
- * GRÜNDEL, J., 2007. – Gastropoden des Pliensbachiums (unterer Jura) aus der Usedom-Senke (Nordostdeutschland). [with English abstract] – Zitteliana A47: 69-103.
- * HAUSER, I., W. OSCHMANN & E. GISCHLER, 2008. – Taphonomic signatures on modern Caribbean bivalve shells as indicators of environment conditions (Belize, Central America). – Palaios 23(9-10): 586-600.
- * JANSEN, A.F.J., 2007. – Fossiele parels (Almere, Eemien). – De Kreukel 43(7): 102.
- * MIMOTO, KENJI & K. NAKAO, 2008. – Newly found molluscan species from the Ananai Formation of the Pliocene Tonomahama Group in Kochi Prefecture, Japan:

- Part 3. [in Japanese with English abstract] – Bull. Tokushima Pref. Mus. No. 18: 21-33
- * NÜTZEL, A., 2007. – Two new caenogastropod genera from the Late Triassic Cassian Formation. [mit deutscher Kurzfassung] – Zitteliana A47: 53-58.
- * NEVESSKAYA, L.A., 2008. – Dynamics of Taxonomic Diversity of Bivalves in the Phanerozoic. – Paleont. J. 42(4): 335-342.
- * NÜTZEL, A. & J. GRÜNDEL, 2007. – Two new gastropod genera from the Early Jurassic (Pliensbachian) of Franconia (South Germany). [in family Zygopleuriidae] [mit deutscher Kurzfassung] – Zitteliana A47: 59-67.
- * PONS, J.M. & E. VICENS, 2008. – The structure of the outer shell layer in radiolaridrudists, a morphoconstructional approach. – Lethalia 41(3): 219-234.



- SAUL, L.R. & R.I. SQUIRES, 2008. – Cretaceous trichotropid gastropods from the Pacific slope of North America: Possible pathways to calyptaeid morphology. – The Nautilus 122(3): 115-142.
- * SCHNETLER, K.I. & E. PALM, 2008. – The molluscan fauna of the Late Branden Clay, Denmark. – Palaeontos no. 15: 1-92.
- * SCHULTZ, P., 2008. – Hippuritoida, eine ausgestorbene Bivalven-Ordnung mit ungewöhnlichen Schalenformen. [with English abstract] – Club Conchylia Informationen 39(1-2): 42-46, 54-64.
- * TASSELL, C., 2008. – Upper Ordovician Gastropods from the Gordon Group, Western Tasmania. – Rec. Queen Victoria Mus. Launceston No. 114: 1-17, pls. 1-3.
- * See also under Gastropoda: Cancillariidae, Pickworthiidae, Muricidae; Bivalvia: Pectinidae, Propeamussiidae, Thraciidae.

FIELD TRIPS / VELDWERK


- * DOEKSEN, G., 2008. – Witte waasgruis, *Pusillina inconspicua*, drijvende *Caecum glabrum* en de pincet. – Het Zeepaard 68(4): 115-122.
- * GEMERT, L.J. VAN, 2008. – Enkele opmerkelijke vondsten in schelpengruis van Safaga Bay aan de Egyptische kust van de Rode Zee. [with English summary] – De Kreukel 44(7-8): 151-154.
- * JANSEN, E.A., 2008. – Mollusken in een oude broek. – De Kreukel 44(6): 112.
- * KREIPL, K. & M. HUBER, 2008. – Mollusken aus Ghana. [with English abstract] – Club Conchylia Informationen 39(3-4): 46, 56, 60-64.
- * LEFEUVRE, M., 2008. – Un séjour sur une île paradisiaque. [Tuamoto, French Polynesia] – Xenophora No. 124: 23-25.
- * MASSIER, W. 2008. – The Skeleton Coast in

- Northern Namibia. – Xenophora No. 124: 28-32.

- * ROLLAND, S., 2008. – Découverte en famille d'un site d'exception. [New Caledonia] – Xenophora No. 124: 10-12.
- * SEITZINGER, R.T., 2008. – Schelpen verzamelen in Egypte, December 2002. – De Kreukel 44(2): 29-30.
- * SEITZINGER, R.T. & L.J. VAN GEMERT, 2008. – Opnieuw schelpen verzamelen in Egypte, december 2002. [with English abstract] – De Kreukel 44(7-8): 137-142.
- * STRASSER, M., 2008. – Fossilien sammeln in Tirol Ampelsbach-Schlucht. [with English abstract] – Fossilien 2008(4): 239-241.

MISCELLANEA / VARIA

- * BACKHUYSEN, W., 2008. – Letters from Austrian malacologists to the editors of the «Journal de Conchyliologie» in the second half of the 19th century. – Basteria 72(4-6): 195-213.
- * CAPROTTI, E., 2008. – I Molluschi negli “Emblemi” del Rinascimento. [with English abstract] – Boll. Malacol. 44(5-8): 87-100.
- * DIETZ, S., 2008. – Freshwater Pearl Mussel – Pearl Fishing – Manufacturing of Sacred Objects. The Special Exhibition in the Museum of Adorf. [Saxony, Germany] – Molluscs World No. 17: 21.
- * GEMERT, L.J. VAN, 2007. – Onnozel of kwaadwillend? [with English summary] – De Kreukel 43(7): 99-100.
- * GUEGUEN, M., 2008. – A tous les Voyageurs: Collectionneurs, Plongeurs, Naturalistes, Amateurs. – Xenophora No. 124: 14-15.
- * LAFITTE, B., 2008. – Ballade conchyliologique au Parc de Sceaux. – Xenophora No. 124: 13.
- * LUTAENKO, K.A., 2007. – Molluscan taxa of Alexander Kafanov. [in Russian with English abstract] – Bull. Russian Far East Malac. Soc. 11: 82-90.
- * ORLANDO, V.E. & G. VIVIANO, 2008. – La collezione malacologica del Museo Regionale di Storia Naturale di Terrasini (PA). Metodologia di conservazione. [with English abstract] – Notiziario S.I.M. 26(1-8): 21-26.
- * RUTHERFORD, M., 2008. – Molluscs in the Kelvingrove Art Gallery and Museum. [Glasgow] – Molluscs World No. 17: 17-19.
- * WALLER, D.B., 2008. – Selling on Ebay. – The Festivu 40(8): 95-98.



NIEUWE BOEKEN NEW BOOKS


W. Faber

met bijdrage van Sylvia van Leeuwen

Prices without postage and handling

Prijzen zonder verzendkosten.

Nudibranch Behavior by D.W. Behrens, 2007 (second printing). 176 pp, many colour photographs. Ed.: New World Publ., Inc., Jacksonville, Florida, USA. ISBN 1-878348-41-8.




Most books on sea slugs focus on their identification, this book is an accumulation of the knowledge of their behaviour, coming together from careful observations made by hundreds of divers and scientists worldwide. It starts with the classification of the sea slugs, illustrated with many colour photographs. Next the book deals with senses and respiration, locomotion and movement, feeding, reproduction, defences, colours, camouflage and mimicry, relationships and sea slugs and mankind.. The book ends with a list of Opisthobranch Web Sites around the world, references and an index.

*

De meeste boeken over naaktslakken richten zich op de determinatie. Dit boek is een overzicht van de kennis van hun gedrag zoals verzameld uit zorgvuldige waarnemingen van honderden duikers en wetenschappers over de gehele wereld. Het begint met de classificatie van de naaktslakken voorzien van vele kleurenfoto's. Voorts behandelt het boek de zintuigen en ademhaling, voortbeweging, voeding, voortplanting, verdediging, kleuren, camouflage en mimicry, verwantschappen en hun verhouding tot de mensen. Het boek sluit af met een wereldwijde lijst van Opisthobranch Websites, een literatuurlijst en een register.

Sea Slugs of the Red Sea by N. Yonow, 2008. 304 pp., many colour photographs. Ed.: Pensoft Publ., Sofia, Bulgaria. ISBN 978-954-642-327-6 (HB), 978-954-642-423-5 (e-book).




Another book about slugs, the most photogenic molluscs. The book starts with details about the Red Sea and is followed by the taxonomy and biology of the Opisthobranchs. Interesting are the nineteenth and early twentieth century engravings of Opisthobranchs. A checklist of species recorded from the Red Sea gives several species which represent new records for the area. A key to species will help with identification. In the main part only a selection of the species mentioned in the checklist is described and nicely illustrated: name, size, diagnostic characteristics, biology and ecology, occurrence and geographical distribution. The book ends with a glossary, bibliography and an index on species, genus and family names.

*

Alweer een boek over naaktslakken, de meest fotogenieke weekdieren. Het begint met gegevens over de Rode Zee en vervolgt met de taxonomie en biologie van de Opisthobranchs. Interessant zijn de gravures van Opisthobranchs uit de 19^{de} en 20^{ste} eeuw. Een checklist van de soorten uit de Rode Zee bevat verschillende soorten die daar nog niet eerder waren aangetroffen. Een determinatiesleutel is behulpzaam bij het bepalen van de soorten. Slechts een selectie van de soorten uit de checklist is beschreven en fraai geïllustreerd: naam, grootte, onderscheidende kenmerken, biologie

en ecologie, voorkomen en geografische verspreiding. Het boek eindigt met een verklarende woordenlijst, een literatuurlijst en een register van soort-, genus- en familienamen..

Schelpen van de Waddeneilanden by R.H. de Bruyne & Th. W. de Boer, 2008. 359 pp, many (colour) photographs. Ed.: Fontaine Uitgevers, 's-Graveland, the Netherlands. ISBN 978-9059562554. €29,90.



Dit boek is een sterk verbeterde en uitgebreide opvolger van het boek "Schelpen van de Friese Waddeneilanden" dat dezelfde auteurs in 1991 schreven en dat alweer vele jaren is uitverkocht.

Het boek begint met uitgebreide inleidende hoofdstukken (totaal 50 blz.). Daarin geven zij een verantwoording over de opgenomen soorten en de naamgeving, de gebruikte gegevens. Ook geven zij een algemene inleiding over weekdieren en schelpen, een "handleiding schelpen verzamelen" (waar moet je zoeken, hoe richt je een verzameling in), een beschrijving van de schelpdierfauna van de Waddeneilanden en de verschillende leefgebieden en de verschillen tussen de eilanden in dit opzicht.

Het grootste deel van het boek bestaat uit de beschrijving van de soorten. Per soort geeft het boek de naam (Latijn, Nederlands, Fries en soms ook Duits en Deens), afmeting, kleur, voorkomen in het algemeen, gedetailleerde informatie over voorkomen/vondsten op de Waddeneilanden, trefkans en eventuele bijzonderheden. Bij de soortbeschrijvingen

zijn prachtige foto's opgenomen (meestal in kleur) en vaak ook nog duidelijke pentekeningen waarop de determinerkenmerken goed te zien zijn. Van soorten waarvoor dat relevant is zijn zowel recente als fossiele exemplaren afgebeeld.

De zeenaaktslakken en de inktvissen behoren ook tot de weekdieren. In veel andere schelpenboeken komen ze er bekaaid af omdat ze geen geschikt verzamelobject zijn. In dit boek krijgen ze de volwaardige plaats die deze prachtige dieren verdienen. Het boek bevat goede foto's en tekeningen van alle zeenaaktslakken, vaak met hun eieren erbij. Van de inktvissen is meestal zowel het levende dier als het schild afgebeeld. Achterin het boek zijn verspreidingskaarten van de autochtone soorten opgenomen en uiteraard een literatuurlijst en een index.

Een aanrader voor iedereen die graag schelpen zoekt langs de Waddenkust.

SvL


*

This book is an improved and enlarged successor of the book "Schelpen van de Friese Waddeneilanden" by the same authors in 1991. It starts with a large introduction (50 pages) about the nomenclature, the used information, molluscs and shells, collecting shells, the mollusc fauna of the Wadden Islands and the different habitats of these islands.

The main section of the book deals with the description of the species. For each species the authors give the name (Latin, Dutch, Frisian and sometimes also German and Danish), size, colour, distribution, occurrence on the Wadden Islands and remarks. The descriptions are accompanied by beautiful photographs (mostly in colour) and often drawings showing the diagnostic characteristics. If relevant both recent and fossil specimens are pictured. Slugs and cephalopods are also illustrated: photographs and drawings of slugs, often with their eggs; photographs of the living animal and the shells of ce-

phalopods. In the back you will find distribution maps of native species, references and index. The text is in Dutch only.

A Conchological Iconography - The Family Conidae. The South African species of *Conus* by M.J. Tenorio & A.J.A. Monteiro, 2008. A4 loose leaf, 47 pp., 60 colour plates, 1 bw plate and several bw text figures and maps. Ed.: ConchBooks, Hackenheim, Germany. ISBN 978-3-939767-14-5.



Another supplement to the well-known iconography directed by G.T. Poppe and K. Groh. It is the second part of the family Conidae; the first part was issued in 2004 and dealt with the Conidae of West Africa and the Mediterranea Sea (Spirula no. 341: 138). Even the numbers of the b/w plate (V) and the colour plates (165-226) connect with those of the first part. The authors describe and illustrate 21 (sub)species restricted to South Africa, Southern Namibia and Southern Mozambique. For each species they give the scientific name, type material, type locality, shell description with b/w photograph, radula if known, remarks and geographical distribution with map. For some species there are also illustrations of the holotype, local specimens or specimens from different collections. A checklist gives some information about non-endemic (Indo Pacific) *Conus* found in South Africa. A

special section, written by M.J. Tenorio and E. Rolán, gives drawings (plate V) of the radular teeth of South African *Conus*. The text part ends with a selected bibliography and an index. As usual the main part consists of excellent colour plates illustrating the variability in colour and other shell characteristics. Further there is one plate showing some living cones, one plate South African localities and three comparative plates of species, subspecies and forms.

*

Dit is een nieuwe aanvulling op de bekende iconografie van G.T. Poppe en K. Groh. Het is het tweede deel van de Conidae; het eerste deel is verschenen in 2004 en behandelt de Conidae van West-Afrika en de Middellandse Zee (Spirula nr. 341: 138). Zelfs de nummers van de zwart-wit plaat (V) en de kleurplaten (165-226) sluiten aan bij die van het eerste deel.. De auteurs beschrijven en illustreren 21 (onder)soorten die uitsluitend voorkomen in Zuid-Afrika, zuidelijk Namibië en zuidelijk Mozambique. Van elke soort geven zij de wetenschappelijke naam, typemateriaal, typelocatie, beschrijving van de schelp met zwart-wit afbeelding, radula indien bekend, opmerkingen en geografische verspreiding met kaartje. Van enkele soorten zijn er ook afbeeldingen van het holotype, van plaatselijke exemplaren of exemplaren uit verschillende collecties. Een checklist geeft de niet-endemische soorten (Indo-Pacific) die in Zuid-Afrika worden aangetroffen. Een speciaal hoofdstukje, verzorgd door M.J. Tenorio en E. Rolán, bevat tekeningen van de radulatanden van de Zuid-Afrikaanse Conidae. Het tekstgedeelte eindigt met een beknopte bibliografie en register. Zoals gebruikelijk in deze uitgave bestaat het voornaamste deel uit uitstekende kleurplaten die de variabiliteit in kleur en andere kenmerken tonen. Verder zijn er een plaat met levende soorten, een plaat met Zuid-Afrikaanse locaties en drie vergelijkende platen van de soorten, ondersoorten en vormen.

Nieuwsbrief Fossielenatlas

Er wordt hard gewerkt aan de fossielenatlas om hem volgend jaar klaar te krijgen. Onlangs verscheen nieuwsbrief 29 over de Cardiidae. Eerdere versies van de Nieuwsbrief kunnen ook worden gedownload. Ga daarvoor naar <http://science.naturalis.nl/research/people/cv/wesselinghstrandfossielen>. Reacties op deze en vorige nieuwsbrieven zijn welkom bij Frank Wesselingh.

