



TIJDSCHRIFTARTIKELEN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.

GENERAL / ALGEMEEN

- * RICHARDSON, C.A., 2001. – Molluscs as archives of environmental change. — Oceanography & Marine Biology Vol. 39: 103-164.

REGIONAL / REGIONAAL

- * DEMIR, M., 2003. – Shells of Mollusca Collected from the Seas of Turkey. — Turk. J. Zool. 27(2): 101-140.
- * CHAO, S.-M. & S.-C. LEE, 2002. – Marine Shells from Lanyu, Taiwan. — Coll. and Res. No. 15: 9-33.
- * MIFSUD, C. & P. OVALIS, 2003. – A note on new discoveries and the distribution of a few Molluscs from the Eastern Mediterranean. — La Conchiglia 35(306): 20-25.
- * ABSALÃO, R.S., C.H. SOARES CAETANO & A. DIAS PIMENTA, 2003. – Novas ocorrências de gastrópodes e bivalves marinhos no Brasil. [with English abstract] — Rev. Brasileira Zool. 20(2): 323-328.
- * MIFSUD, C., 2003. – Notes on a few more Living Mediterranean Molluscs from Malta. — La Conchiglia 35(307): 39-46.

POLYPLACOPHORA (Class)

- * KROH, A., 2003. – The Polyplacophora of the Langhian (Lower Badenian) of the Molasse Zone and the northern Vienna Basin (Austria). — Ann. Naturhist. Mus. Wien No. 104a: 129-143.

GASTROPODA

GENERAL / ALGEMEEN

- * STRONG, E.E., 2003. – Refining molluscan characters: morphology, character coding and a phylogeny of the Caenogastropoda. — Zool. J. Linnean Soc. 137(4): 447-554.

REGIONAL / REGIONAAL

- * GIUSTI, F., B. DELL'ANGELO & A. BONFITT, 2003. – Report of uncommon mollusks from the Tuscan Archipelago. Contribution II. — La Conchiglia 35(306): 41-47.

ACMAEIDAE

- * SASAKI, T., T. OKUTANI & K. FUJIKURA, 2003. – New Taxa and New Records of Patelliform Gastropods Associated with Chemoautotrophy-Based Communities in Japanese waters. — Veliger 46(3): 189-210.

BUCINIDAE

- * ENGL, W., 2003. – Antarctic mollusks: Part 3 [*Prosiphon*]. — La Conchiglia 35(306): 31-35, 59.

CALLIOSTOMATIDAE

- * See Trochidae.

CALYPTRAEIIDAE

- * MARSHALL, B.A., 2003. – A Review of the Recent and Late Cenozoic Calyptraeidae of New Zealand. — The Veliger 46(2): 117-144.

CASSISAE

- * BRUNEL, H., 2003. – *Cassis flammea* (Linné, 1758) et *Cassis tuberosa* (Linné, 1758). De leurs «flammes» et de la confusion qu'elles entretiennent dans nos esprits. [also in English] — Xenophora No. 103: 23-27.

CONIDAE

- * HENDRICKS, J. & W. ALLMON, 2003. – Cones: The Shell of Choice for Evolution. — Am. Paleontologist 11(2): 3-6.

COSTELLARIIDAE

- * See under Mitridae.

CYPRAEIDAE

- * LIMPELAËR, L., 2003. – *Cribrarula garciai* Lorenz & Raines, 2001. — Xenophora 102: 17.
- * LIMPERAËR, L., 2003. – Retour sur Madagascar, 2ième partie: sur les traces d'*eson-tropia*. [also in English] — Xenophora 102: 35-36.
- * NN., 2003. – Le complexe *Bistolida*. [also in English] — Xenophora 102: 18-26.

- * OMI, Y., 2003. – A variant of *Cribrarula cribaria* from the Ogasawara Islands. [in Japanese]. — Chiribotan 34(1): 1-4.

- * DUBOC, J.P. & S. PINEAU, 2003. – *Cypraea tigris* Linné, 1758 semi-albinos des îles Chagos. [Indian Ocean] [in French and English] — Xenophora No. 103: 10-11.

- * MERLIN, J.C. & PH. QUIQUANDON, 2003. – Retour à Madagascar ... une fois de plus. [*Cribarula*] [also in English] — Xenophora No. 103: 18-19.

- * JAY, M., 2003. – *Cribrarula cribellum* (Gaskoin, 1849) et *Cribrarula esontropia* (Duclos, 1833) une ou deux espèces? [also in English] — Xenophora No. 103: 20-22.

- * MEYER, C.P., 2003. Molecular systematics of cowries and diversification patterns in the tropics. — Biol. J. of the Linnean Soc. 79(3): 401-459.

EPITONIIDAE

- * HERTZ, C.M. & K.L. KAISER, 2003. – Fifteen species of Epitonidae recorded at El Salvador (tropical eastern Pacific). — The Festivus 35(5): 44-53.

FISSURELLIDAE

- * See under Acmaeidae.

GYMOSOMATA (order)

- * See under Thecosomata.

HALIOTIDAE

- * GUZMÁN DEL PRÓ, S.A., E. SERVIERE-ZARAGOZA & D. SIQUEIROS-BELTRONES, 2003. – Natural Diet of Juvenile Abelone *Haliotis fulgens* and *H. corrugata* in Bahia Tortugas, Mexico. — Pacific Sci. 57(3): 319-324.

HYDATINIDAE

- * ROLÁN, E., 2003. – A strange microgastropod from the Cape Verde Archipelago: its study and the final solution. [*Micromelo undatus*] — La Conchiglia 35(306): 55-57.

JANTHINIDAE

- * TOMIDA, S. & F. KITAO, 2002. – Occurrence of *Haitungia* from the Tonohama Group, Kochi Prefecture, Japan. — Bull. Mizunami Fossil Mus. No. 29: 157-160.
- * LIGHT, J., 2003. – *Janthina janthina* violet snails stranded by violent seas. — Mollusc World No. 1: 12-14.

LEPETODRILIDAE

- * See under Acmaeidae.

LIOTIIDAE

- * See under Trochidae.

LITTORINIDAE

- * HOHENLOHE, P.A., 2003. – Distribution of Sister : *Littorina* Species, I: Tenacity and Wave-Exposure Gradient. — The Veliger 46(2): 162-168.

- * VILVENS, C., 2003. – L'évolution de la classification des Littorinidae. — Nova-pex/Société 4(2-3): 71-74.

- * HOHENLOHE, P.A., 2003. – Distribution of Sister *Littorina* Species II: Geographyc and Tidal-Height Patterns Do Not Support Sympatric Speciation. — The Veliger 46(3): 211-219.

MARGINELLIDAE

- * BOYER, F., J. PELORCE & A. HOARAU, 2003. – Le genre *Granulina* sur le littoral de la Côte d'Azur : récoltes et observations. [with English abstract] — Boll. Malacologico 38(9-12): 165-170.

MITRIDAE

- * ROBIN, A. & J.C. MARTIN, 2003. – Mitridae et Costellariidae. — Xenophora No. 103: 36, pl.M 1-4.

MURICIDAE

* CHIARELLI, S., P. MICALI & P. QUADRI, 2003. — Note su alcune specie mediterranee del genere *Mitrella* Risso, 1826. [with English abstract] — Boll. Malacologico 38(9-12): 171-183.

* NAEGL, L.A., S. RODRÍGUEZ-ASTUDILLO, D. HERNÁNDEZ-CEBALLOS & C. CALERES-MARTÍNEZ, 2003. — First observation on the Larval Development of the Marine Purple Snail *Plicopurpura pansa* (Gould, 1853) under Laboratory Conditions. — The Veliger 46(2): 111-116.

* TAN, K.S., 2003. — Phylogenetic analysis and taxonomy of some southern Australian and New Zealand Muricidae. — J. Nat. Hist. 37(8): 911-1028.

* MEYERS, B.W., 2003. — Illustrated catalog of species assigned to the genus *Favartia* from the Panamic Province. — The Festivus 35(6): 59-83.

* DELONGUEVILLE, CHR. & R. SCAILLET, 2003. — *Hexaplex trunculus* (Linnaeus, 1758) *scalariforme*. — Novapex/Société 4(2-3): 57.

* HOUART, R., 2003. — Le genre *Muricanthus* Swainson, 1840. — Novapex/Société 4(2-3): 67-70.

* BISHOP, J.A., 2003. — *Pterotyphis fimbriatus* (A. Adams, 1854). — The Festivus 35(7): 87-88.

OVULIDAE

* FEHSE, D., 2003. — Contributions to the knowledge of the Ovulidae. XII. The *Cyphoma-Pseudocyphoma* Complex. I Part). — La Conchiglia 35(307): 11-34.

PATELLIDAE

* NEUTHIAC, R. LE & J.-L. DELEMARRE, 2003. — Patelles de chez-nous. [also in English] — Xenophora No. 103: 28-34.

PHENACOLEPADIDAE

* See under Acmaeidae.

POTAMIDIIDAE

* WELLS, F.E., 2003. — Ecological separation of the mudwhelk *Terebralia sulcata* (Born, 1778) and *T. semistriata* (Mörch, 1852) from northern Australia. — Nautilus 117(1): 1-5.

PYROPELTIDAE

* See under Acmaeidae.

RANELLIDAE

* TURK, S. & J. LIGHT, 2003. — *Charonia lampas* living in the mouth of the River Fowey, Cornwall. — Mollusc World No. 1: 9.

SCISSURELLIDAE

* GEIGER, D.L., 2003. — Phylogenetic assessment of characters proposed for the generic classification of Recent Scissurellidae (...) from Easter Island and Australia. — Moll. Res. 23(1): 21-83.

THECOSOMATA (order)

* LARRAZÁBAL, M.E. & V.S. DE OLIVEIRA, 2003. — Thecosomata e Gymnosomata da cadeia Fernando de Noronha, Brasil. [with

English abstract] — Rev. Brasileira Zool. 20(2): 351-360.

THYCIDAE


* See under fieldtrips (Biditti/Sozzani).

TRICOLIIDAE

* See under Trochidae.

TROCHIDAE

* VERDEJO GUIRAO, J.F., 2003. — Contribution to the knowledge of *Gibbula drepanensis* Brugnone, 1873 along the Eastern Spanish coast. — La Conchiglia 35(306): 11-14.



Gibbula drepanensis Brugnone, 1873.
La Conchiglia 35(306): 12.

* EGEROV, R.V., 2000. — Trochiformes: Trochidae, Calliostomatidae, Liotiidae, Turbinidae, Tricolliidae. — Treasure of Russian Shells Vol. 4: 1-84.

TURBINIDAE

* See under Trochidae.

BIVALVIA

GENERAL / ALGEMEEN

* MORTON, B., 2001. — The evolution of eyes in the Bivalvia. — Oceanography & Marine Biology Vol. 39: 165-205.

* CHECA, A.G. & A.P. JIMÉNEZ- JIMÉNEZ, 2003. — Evolutionary morphology of oblique ribs of bivalves. — Palaeontology 46(4): 709-724.

CARDIIDAE

* KAFANOV, A.I., 2002. — Recent and fossil Clinocardinae of the World. VI. Genus *Ciliatocardium* Kafanov, 1974 (part II). — Bull. Mizunami Fossil Mus. No. 29: 1-24.

* MIEHN, H.K., 2003. — On the size of *Afrocardium richardi* (Audouin, 1826). — De Kreukel 39(4-5): 64.

GASTROCHAENIDAE

* ALBANO, P.G., 2003. — Mediterranean Gastrochaenidae. — Boll. Malacologico 38(9-12): 135-138.

GLYCYMERIDAE

* MIEHN, H.K., 2003. — More cases of blister pearls in *Glycymeris insubrica*. — De Kreukel 39(4-5): 63-64.

GRYPHAEIDAE

* NORI, L. & B. LATHUILIÈRE, 2003. — Form and environment of *Gryphaea arcuata*. — Lethaia 36(2): 83-96.

LUCINIDAE

* MIEHN, H.K., 2003. — A second record of *Lucinoma borealis* from the Red Sea. [met Nederlandse samenvatting] — De Kreukel 39(4-5): 61.

MYTILIDAE


* JAZIRI, H. & L. SBABOU, 2003. — Variabilité morphologique et systématique de la moule méditerranéenne *Mytilus galloprovincialis* Lmk. au Maroc. [with English abstract] — Haliotis Vol. 32: 1-20.

PECTINIDAE

* ENCOMENDEROS, L. & E. DUPRÉ, 2003. — Effect of different substrates on the larval settlement of the scallop *Argopecten purpuratus* Lam., 1819 in laboratory conditions. [in Spanish and English] — Invest. Mar., Valparaíso 31(1): 25-32.

PHOLADIDAE

* TURNER, R.D., 2002. — On the subfamily Xylophaginae. — Bull. Mus. Comp. Zool. 157(4): 223-307.



Xylophaga clenchi Turner & Culliney, 1971. Lateral and dorsal view with young attached to the umbo. Bull. Mus. Comp. Zool. 157(4): 277.

SPONDYLIDAE

* LACROCE, L. & G. REPETTO, 2003. — The family Spondylidae Gray, 1826 in the Italian Pliocene. — La Conchiglia 35(306): 48-54, 61.

XYLOPHAGAIDAE

See under Pholadidae.

SLUGS / NAAKTSLAKKEN

* AIKEN, R.B., 2003. — Some Aspects of the Life History of an Intertidal Population of the Nudibranch *Dendronotus frondosus* (Ascanius, 1774) in the Bay of Fundy. [Canada] — The Veliger 46(2): 169-175.

* VALDÉS, A. & C.M. LORENÇO AFONSO, 2003. — Synonymy of *Cadlina burnayi* Ortea, 1988 from the Cape Verde Islands with *Tyrinna evelinae* (Marcus, 1958). — The Veliger 46(2): 176-185.

* ARDILA, N.E. & J.M. DÍAZ, 2002. — *Armina juliana*, a new species from the southern Caribbean. — Bull. Marine and Coastal Res. No. 31: 25-31.

* GARCÍA, F.J. & J.S. TRONCOSO, 2003. — Two unknown species of Mollusca Gastropoda from the Archipelago Fernando de Noronha (Brazil), with the description of a

new species belonging tot the genus *Phidiana* Gray, 1850 and a new record of *Dendrodoris senegalensis* Bouchet, 1975. — Sci. Mar. 67(2): 159-166.

CEPHALOPODA (Class)

* KASUGAI, T. & Y. IKEDA, 2003. — Description of the egg mass of the pygmy cuttlefish, *Idiosepius paradoxus*, with special reference to its multiple gelatinous layers. — The Veliger 46(2): 105-110.

* ARKHIPKIN, A.I. & D.A.J. MIDDLETON, 2003. — In-situ monitoring of the duration of embryonic development in the squid *Loligo gahi* on the Falkland shelf. — J. Moll. Stud. 69(2): 123-133.

* ALLCOCK, A.L., M.A. COLLINS & M. VECCHIONE, 2003. — A redescription of *Graneleoane verrucosa* (Verrill, 1881). — J. Moll. Stud. 69(2): 135-143.

* SALMAN, A., T. KATA DAN & H.A. BENLI, 2003. — Vertical distribution and abundance of juvenile cephalopods in the Aegean Sea. — Sci. Mar. 67(2): 167-176.

* STEER, M.A., N.A. MOLTSCHANIKSYI & A.R. JORDAN, 2003. — Embryonic development of southern calamary (*Sepioteuthis australis*) within the constraints of an aggregated egg mass. — Marine & Freshwater Res. 54(3): 217-226.

FOSSILS

CEPAHLOPODA

* TOMIDA, S., Y. OKUMURA, T. YAMAOKA, H. OHSawa & N. HAMADA, 2002. — Occurrence of *Aturia* from the Miocene Bihoku Group of Hiroshima Prefecture, southwestern Japan. — Bull. Mizunami Fossil Mus. No. 29: 151-156.

* MEDINA, F.A., A.C. RICCIARDI & M. GHIGLIONE, 2003. — The Albian ammonite *Aioloceras* Whitehouse in Antarctica. — Alcheringa 27(2): 85-91.

* KAWABE, F. & J.W. HAGGART, 2003. — The ammonoid *Desmoceras* in the upper Albian (Lower Cretaceous) of Japan. — J. Paleont. 77(2): 314-322.

* MOOSLEITER, G., 2003. — Cristaux de pyrite sur des fossiles gargasiens (Aptien) du sud de la France. — Minéraux & Fossiles 29(317): 5-14.

* EBBO, L., 2003. — Évolution de deux genres d'ammonites déroulées du Barrémien du Sud-Est de la France. — Minéraux & Fossiles No. 319: 9-17.


* LANDMAN, N.H. & W.A. COBBAN, 2003. — Ammonites from the Upper Part of the Pierre Shale and Fox Hills Formation of Colorado. — Novitates (Am. Mus.) No. 3388: 1-45.

* DIETZE, V., G. SCHWEIGERT, J.H. CALLOMON & H. GAUTHIER, 2002. — Garantiana- und frühe Parkinsoni-Zone (Ober-Bajocum, Mittlerer Jura) am Ipf (östliche Schwäbische Alb, SW-Deutschland) mit Bemerkungen zur Phylogenie der Ammoniten-Gattung *Garantiana* Maschke, 1907. [with English summary] — Stuttgarter Beiträge zur Naturkunde, Serie B, No. 315: 1-89.

* SCHWEIGERT, G., V. DIETZE & G. DIETL, 2002. — Erstnachweis der Ammoniten-Gattung *Parkinsonia* Bayle, 1878 in der Garantiana-Zone (Tetragona-Subzone). [with Eng-

lish summary] — Stuttgarter Beiträge zur Naturkunde, Serie B, No. 320: 1-15.

* DIETZE, V., C. MANGOLD & R.B. CHANDLER, 2002. — Two new species of *Berbericeras* Roman, 1933 (Morphoceratidae, Ammonitina) from the Zigzag Bed (Lower Bathonian, Zigzag Zone) of Waddon Hill (Broadwindsor, Dorset, Southern England). — Stuttgarter Beiträge zur Naturkunde, Serie B, No. 324: 1-11.



a-b: *Berbericeras udalli* n. sp. Holotype, x 2.

c-f: *Berbericeras cf. udalli* n. sp. x 2.

Stuttgarter Beiträge z. Naturkunde, Serie B, No 324

España (1961-2002). — Scripta Musei Geologico Seminarii Barcinonensis No. 1: 1-31.

* MORTON, L.S. & R. HERBST, 2003. — New molluscs from the Miocene San José and Chiquimil Formations, Santa María Valley, Catamarca and Tucuman Provinces, Argentina. [in Spanish with English abstract] — Ameghiniana 40(2): 205-216.

* MANDIC, O. & M. HARZHAUSER, 2003. — Molluscs from the Badenian (Middle Miocene) of the Gaiendorf Formation (Alpine Molasse Basin, NE Austria) — Taxonomy, Paleoecology and Biostratigraphy. — Ann. Naturhist. Mus Wien No. 104a: 85-127.

* See also under Bivalvia general, Polyplacophora, Calyptreidae, Cardiidae, Conidae, Gryphaeidae, Janthinidae, Spondylidae.

FIELDTRIPS / VELDWERK

* GUEGUEN, M., 2003. — Recherche de coquillages en Méditerranée occidentale. — Xenophora 102: 27-30.

* JAUX, G., 2003. — Destination Kerkennah, Pérégrinations conchyliologiques d'une équipe de l'AFC. [also in English; Qerqenah Islands] — Xenophora 102: 8-15.


* RICHTER, A.E., 2003. — Richters Sammeltipp Fossilien in Gipserhaltung Cortijo de los Andréjares. — Fossilien 20(3): 143-155.

* REUSELAARS, R.E., 2003. — Lanzarote. — Jaarverslag Schelpengroep Delfzijl 2002: 4-9.

* DELONGUEVILLE, CHR. & R. SCAILLET, 2003. — Campagnes malacologiques au Finnmark (Norvège). — Novapex/Société 4(2-3): 51-56.

* SEITZINGER, R.T., 2003. — Schelpen verzamelen in Kroatië, Augustus 2001. — De Kreukel 39(6): 81-86.

* BIDITTU, A. & R. SOZZANI, 2003. — An unusual night dive at Sangeang Island. [Indonesia] — La Conchiglia 35(307): 51-57.



Phyllidia ocellata Cuvier, 1804.

La Conchiglia 35(307): 53.

MISCELLANEOUS / VARIA

* WHITEHEAD, F., 2003. — Conchyliologues célèbres: François Péron (1775-1810). [also in English] — Xenophora 102: 31-32.

* BONDAREV, I., 2003. — Seashells from archeological complexes of antique Crimea (Tauride). — La Conchiglia 35(306): 36-40.

* BASSET, J., 2003. — Le coquillage et le Culte en Asie. [also in English] — Xenophora No. 103: 12-14.

* LLEWELLYN-JONES, J., 2003. — Paua shell (*Haliotis iris*) its cultivation and uses. — Mollusc World No. 1: 20-21.

* CALZADA, S., J.M. ASENSI & C. ROYO, 2003. — Especies nuevas del Cretácico de