



TIJDSCHRIFTARTIKELN JOURNAL PAPERS

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. □ redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. □ editorial notes.

REGIONAL / REGIONAAL

- * ÁVILA, S.P., 2003. – The littoral molluscs of São Vicente, Capelas (São Miguel Island, Azores): ecology and biological associations to algae. — *Iberus* 21(1): 11-33.
- * PEÑAS, A. & G. GIRIBET, 2003. – Additions to the Malacological fauna of El Ganaf (NE of the Iberian Peninsula). [in Spanish with English summary] — *Iberus* 21(1): 177-189.
- * OKUTANI, T. & N. IWASAKI, 2003. – Noteworthy Abyssal Mollusks (Excluding Vesicomylid Bivalva) Collected from the Nankai Through off Shikoku by the ROV *Kaiko* of the Japan Marine Science & Technology Center. — *Venus* 62(1-2): 1-10.

GASTROPODA

REGIONAL / REGIONAAL

- * JIMÉNEZ, M. & I. LIÑERO-ARANA, 2003. – Moluscos en praderas de *Thalassia testudinum* en Isla Larga, Bahía de Mochima, Edo. Sucre, Venezuela. [with English abstract] — *Bol. Inst. Oceanogr. Venezuela*, Univ. Oriente 41(1-2): 55-65.

BUCCINIDAE

- * GITTENBERGER, E. & J. GOUD, 2003. – The genus *Babylonia* revisited. — *Zoologische Verhandlungen* No. 345: 151-162.
- * MIENIS, H.K., 2003. – *Cantharus tranquebaricus*: first records of another Indian Ocean species in the eastern Mediterranean. — *Triton* No. 8: 11.

BUCCINOIDEA (Order)

- * KANTOR, Y.I., 2003. – Comparative anatomy of the stomach of Buccinoidea. — *J. Moll. Stud.* 69(3): 203-220.

CONIDAE

- * TOUITOU, D. & M. BALLETON, 2003. – Variation locale de *Conus textile* (Linné, 1758) de Polynésie française. [also in English] — *Xenophora* No. 104: 10-11.

CORALLIOPHILIDAE

- * MIENIS, H.K., 2003. – Remarks concerning Coralliophilidae living in the Red Sea. — *Triton* No. 8: 9-10.
- * HEIMAN, E.L. & H.K. MIENIS, 2003. – Shells of the east Sinai, an illustrated list. Coralliophilidae. — *Triton* No. 8: 29-30.

CYPRAEIDAE


- * HEERVELDE, J. VAN, 2003. – The Cypraeidae of Lombok (Indonesia). An overview

of the encountered species with remarks on distribution and form. — *Gloria Maris* 42(2-3): 59-65.

- * DANDRIMONT, Th., 2003. – *Mauritia mauritiana* (Linné, 1758). [also in English] — *Xenophora* No. 104: 8-9.
- * HEIMAN, E.L., 2003. – Abnormalities in cowries 3. Overcallused and rostrated shells. — *Triton* No. 8: 13-15.
- * HEIMAN, E.L., 2003. – *Erosaria nebrites* form *labrospinosa*. — *Triton* No. 8: 17-18.
- * HEIMAN, E.L. & H.K. MIENIS, 2003. – Shells of the east Sinai, an illustrated list. Cypraeidae. — *Triton* No. 8: 19-21.

CYSTISCIDAE

- * BOYER, F., 2003. – The Cystiscidae from upper reef formations of New Caledonia. [18 new species] — *Iberus* 21(1): 241-272.



a. *Cystiscus viridis*, holotype; b. *C. sp.*; c. *C. camelopardalis*, holotype. — *Iberus* 21(1): 255.

EPITONIIDAE

- * GITTENBERGER, A., 2003. – The wentletrap *Epitonium hartogi* spec. nov. associated with bubble coral species *Plerogyra* spec. (Scleractinia: Euphyllidae), off Indonesia and Thailand. — *Zoologische Verhandlungen* No. 345: 139-150.

ERATOIDAE

- * FEHSE, D. & B. BLANDAU, 2003. – Contribution to eratoid systematics 3. European Oligocene Eratoidae (...) — *Cainozoic Res.* 2(1-2): 13-22.

FASCIOLARIIDAE

- * HADORN, R. & K. FRAUSSEN, 2003. – The deep-water Indo-Pacific radiation of *Fusinus*. — *Iberus* 21(1): 207-240.

FISSURELLIDAE

- * MIENIS, H.K., 2003. – On two *Fissurella* species supposed to have been found on the beach of Elat, Israel. — *Triton* No. 8: 1.

HALIOTIDAE

- * OWEN, B. & D. PORTER, 2003. – A photo study of the eastern Pacific hybrid abalones, Part 2. *Haliotis corrugata* Wood, 1828 x *H. walallensis* Stearns, 1899. — *Of Sea and Shore* 25(3): 177-181.
- * OWEN, B., 2003. – The "Buzz" on Abalones. — *Of Sea and Shore* 25(3): 219-223.

JANTHINIDAE

- * ROLÁN, E. & J.E. TRIGO, 2003. – Some information on *Janthina pallida* Thompson, 1840 collected in Cedeiro, A Coruña, Northern Spain. — *La Conchiglia* 35(308): 55-57.
- * FARMER, W.M., 2003. – *Janthina exigua* at Torrey Pines State Beach, La Jolla, California. — *The Festivus* 35(10): 125.

LAMELLARIIDAE

- * See under Velutinidae.

MARGINELLIDAE

- * LA PERNA, R., B. LANDAU & C.M. DA SILVA, 2003. – The genus *Granulina* from the Atlantic Iberian Pliocene. — *Iberus* 21(1): 35-42.
- * BOYER, F., 2003. – Les genres *Granulina* et *Dentimargo* dans le domaine côtier de la Nouvelle Calédonie. [with English abstract] — *Novapex* 4(4): 79-92.
- * WAKEFIELD, A. & T. MCCLEERY, 2003. – A study of a population of *Mesoginella pygmaea* (Sowerby, 1846) from the Bay of Islands, New Zealand. — *Novapex* 4(4): 93-100.

MITRIDAE

- * DIRKX, M. & G. VERBINNEN, 2003. – Red Sea Mollusca, Part 13. Mitridae. [erroneously Neritidae in text] — *Gloria Maris* 42(2-3): 47-50, 55-56.
- * ÁVILA, V.M. & Ph. BÉAREZ, 2003. – First record of *Mitra (Mitra) mitra* (Linnaeus, 1758) on the Pacific coast of mainland Ecuador. — *The Festivus* 35(9): 111-112.
- * ROBIN, A. & J.C. MARTIN, 2003. – Mitridae et Costellariidae. — *Xenophora* No. 104: pls. M 5-10.

MURICIDAE

- * PONS-MOYÀ, J. & G.X. PONS, 2002. – Primera cita d'*Ocenebrina hispidula* (Pallary, 1904) per a les aigües Ibero-Balears. — *Boll. Soc. Hist. Nat. Balears* Vol. 45: 81-85.
- * VRIES, Th. DE, 2003. – *Acanthina* Fischer von Waldheim, 1807, an Ocenebrine Genus Endemic to South America. — *The Veliger* 46(4): 332-350.

- * MIENIS, H.K., 2003. - Notes on some muricid gastropods from the Gulf of Aqaba. — Triton No. 8: 7-8.
- * HEIMAN, E.L. & H.K. MIENIS, 2003. - Shells of the east Sinai, an illustrated list. Muricidae (2). — Triton No. 8: 22-24.

NERITIDAE

- * WESSELIINGH, F.P., 2003. - Neritidae from Miocene of western Amazonia (Peru, Columbia and Brazil). — Cainozoic Res. 2(1-2): 117-128.

NERITILIIDAE

- * KANO, Y. & T. KASE, 2003. - Systematics of the *Neritila rubida* complex: three amphidromus species with overlapping distributions in the Indo-Pacific. — J. Moll. Stud. 69(3): 273-284.

OVULIDAE

- * FEHSE, D., 2003. - Contributions to the knowledge of the Ovulidae. XII. The *Cyphoma-Pseudocyphoma* Complex. II part. — La Conchiglia 35(308): 11-38.

PELYCIDIIDAE

- * ROLÁN, E. & P. RYALL, 2003. - The genus *Pelycidion* in West Africa. — Iberus 21(1): 99-104.

PSEUDOLIVIDAE

- * SIMONE, L.R.L., 2003. - Revision of the genus *Benthobia*. — J. Moll. Stud. 69(3): 245-262.

RANELIIDAE

- * TURK, S. & J. LIGHT, 2003. - *Charonia lampas* living in the mouth of the River Fowey, Cornwall. — Mollusc World No. 2: 9.

SMARAGDINELLIDAE


- * DIRKX, M. & G. VERBINNEN, 2003. - Red Sea Mollusca, Part 16. Smaragdinellidae. — Gloria Maris 42(2-3): 54, 57-58.

TEREBRIDAE

- * KOSUGE, T., 2003. - Occurrence of *Terebra pseudopertusa* Bratcher & Cernohorsky off Ishigaki Island, a new record from Japan. — Chiribotan 34(2): 33-34.

TRIVIIDAE

- * FEHSE, D. & B. LANDAU, 2003. - Contributions to Triviid Systematics 6. Pliocene Triviidae from the western Mediterranean. — Cainozoic Res. 2(1-2): 87-107.



Trivia frigida Schilder, 1932, holotype, 12.0 mm. — Cainozoic Res. 2(1-2): 101.

TROCHIDAE

- * MALAQUIAS, M.A.E., J. BORGES & TH.C. BORGES, 2003. - On the occurrence of *Callumbonella suturalis* (Philippi, 1836) on the south Atlantic coasts of Europe. — J. of Conch. 38(1): 1-5.
- * HEIMAN, E.L., 2003. - Variability of *Tectus dentatus* (Forskål, 1775). — Triton No. 8: 16.
- * HEIMAN, E.L. & H.K. MIENIS, 2003. - Shells of the east Sinai, an illustrated list. Trochidae. — Triton No. 8: 25-28.

TURBIDAE

- * LANDAU B. & P. LOZOUET, 2003. - The genus *Heteroninella* from the Lower Pliocene of Estepona, southern Spain. — Cainozoic Res. 2(1-2): 3-8.

VANIKORIDAE

- * DIRKX, M. & G. VERBINNEN, 2003. - Red Sea Mollusca, Part 14. Vanikoridae. — Gloria Maris 42(2-3): 51.

VELUTINIDAE

- * DIRKX, M. & G. Verbinnen, 2003. - Red Sea Mollusca, Part 15. Lamellariidae. — Gloria Maris 42(2-3): 52-53.

BIVALVIA

GENERAL / ALGEMEEN

- * UBUKATA, T., 2003. - A theoretical morphologic analysis of bivalve ligaments. — Paleontology 29(3): 369-380.

REGIONAL / REGIONAAL

- * ALBAYRAN, S., 2002. - Bivalvia fauna of the Imbros Islands (NE Aegean Sea). — J. Biol. Istanbul Univ. Fac. Sci. Vol. 65: 1-24.

ARCTICIDAE

- * WITBAARD, R. & M.J.N. BERGMAN, 2003. - The distribution and population structure of the bivalve *Arctica islandica* L. in the North Sea: what possible factors are involved? — J. Sea Res. 50(1): 11-25.

CONDYLOCARDIIDAE

- * COAN, E.V., 2003. - The tropical eastern Pacific species of the Condylocardiidae. — The Nautilus 117(2): 47-61.

HIATELLIDAE

- * GRIBBEN P.E. & B.E. HAY, 2003. - Larval development of the New Zealand geoduck *Panopea zelandica*. — New Zealand J. Mar. and Freshwater Res. 37(2): 231-239.

LIMIDAE

- * LINSE, K. & T.J. PAGE, 2003. - Evidence of brooding in Southern Ocean limid bivalves. — J. Moll. Stud. 69(3): 290-293.

MACTRIDAE

- * MOERDIJK, P.W., 2003. - *Mactromeris polynyma* (Stimpson, 1860) from the Upper Pliocene of the Netherlands and Belgium.. — Cainozoic Res. 2(1-2): 135-137.

NUCULANIDAE

- * JANSE, A.C., P.W. MOERDIJK & T. MEYER, 2003. - First record of *Magayoldia thraciaeformis* (Storer, 1838) from the Pleistocene of the North Sea Basin. — Cainozoic Res. 2(1-2): 139-142.

PECTINIDAE

- * SASAYAMA, Y. & A. TAKELICHI, 2003. - Reproductive strategy of the Tiny Abyssal Scallop (*Delectpecten vitreus macrocheiricolus*) Collected on the Bottom of the Japan Sea, Surmused from Histological Observations of the Gonads. — Zool. Sci. 20(6): 759-763.
- * COURVILLE, PH. & M. BONGRAIN, 2003. - Les Pectinidae miocènes des faluns (Ouest de la France). Intérêts biostratigraphiques des associations. — Paléontologie 89(3): 125-151.

PTERIIDAE

- * DOROUDI, M.S. & P.C. SOUTHGATE, 2003. - Embryonic and larval development of *Pinctada margaritifera* (Linnaeus, 1758). — Moll. Res. 23(2): 101-107.

TEREDINIDAE

- * MIENIS, H.K., 2003. - Woodboring bivalves in the eastern Mediterranean 1. Shipworms from the wreck of a fishing-boat off Bardawil. — Triton No. 8: 3-4.

VENERIDAE

- * WIMBLETON, T., 2003. - Identification of *Ruditapes philippinarum*. — Mollusc World No. 2: 12. [rectification]

XYLOPHAGIDAE

- * MIENIS, H.K., 2003. - First records of a *Xylophaga* species from the Red Sea. — Triton No. 8: 2.
- * MIENIS, H.K., 2003. - Woodboring bivalves in the eastern Mediterranean 2. *Xylophaga* from the wreck of the submarine "Dake". — Triton No. 8: 5-6

SLUGS / NAAKTSLAKKEN

- * ORTIZ, D.M. & T.M. GOSLINER, 2003. - A New Species of *Phyllodesmium* Ehrenberg, 1831 from the Tropical Indo Pacific. — Proc. California Ac. of Sci. 54(9): 161-168.
- * FAHEY, S.J. & T.M. GOSLINER, 2003. - Mistaken Identities: On the Discodoridae Genera *Hoplodoris* and *Carminodoris* Bergh. — Proc. California Ac. of Sci. 54(9): 169-208.
- * HIROSE, M., H. SUZUKI & T. YAMAMOTO, 2003. - Body Colour and Growth of *Elysia ornata* (Opisthobranchia: Sacoglossa). [in Japanese with English abstract] — Venus 62(1-2): 55-64.
- * VALDÉS, Á. & D.W. BEHRENS, 2003. - Phylogenetic Systematics of *Reticulidia* Brunchhorst, 1990. — Contr. in Sci. No. 492: 1-8.

CEPHALOPODA (Class)

- * ROELEVELD, M.A.C., J. GOUD & I.G. GLEADALL, 2003. - Types of Recent Cephalopoda in the National Museum of

Natural History, Leiden. — Zoölogische Mededelingen 77(13): 253-257.

- * TAKEDA, R., 2003. — A Redescription and Biological Characteristics of *Octopus longispadicus* (Sasaki, 1917) in the Western Part of the Sea of Japan. [in Japanese with English abstract] — *Venus* 62(1-2): 29-38.
- * BARÓN, P.J., 2003. — Embryonic development of the South American long-fin squid *Loligo sanpaulensis* Brakoniecki, 1984. — *J. Moll. Stud.* 69(3): 221-227.
- * SORIANO, S., J.L. SÁNCHEZ LIZASO & A. GUERRA, 2003. — Cephalopod species collected in the upper continental slope off Alicante (Western Mediterranean). — *Iberus* 21(1): 57-66.

FOSSILS

CEPHALOPODA

- * KUTYGIN, R.V., 2003. — *Paratumaroceras*, a New Paragastrioceratid Genus (Ammonoidea) from Lower Permian of the Western Verkhoyansk Region. — *Paleont. J.* 37(3): 252-256.
- * SAKHAROV, A.S. & I.A. POGODINA, 2003. — On the Systematics of the Ammonoid Family Berriasellidae Spath, 1922. — *Paleont. J.* 37(3): 257-259.
- * KORN, D. & CHR. KLUG, 2003. — Morphological pathways in the evolution of Early and Middle Devonian ammonoids. — *Paleontology* 29(3): 329-348.
- * KENNEDY, W.J. & F. KULBROK, 2003. — An Upper Maastrichtian ammonite fauna from the Eastern Desert, Egypt. — *N. Jb. Geol. Paleont. Mh.* No. 8: 449-462.
- * CICHOWOLSKI, M., 2003. — The nautiloid *Cymatoceras* from the Cretaceous of the Neuquén and Austral basins, Argentina. — *Cretaceous Res.* 24(4): 375-390.
- * IRNSTORFER, O., 2003. — Trias-Ammoniten aus den Hallstätter Kalken (Teil 5). — *Fossilien* 503: 271-277.
- * KOZLOVA, N.V. & V.V. ARKADIEV, 2003. — Tithonian — Lower Cretaceous Aptychi (Ammonoidae) from Mountainous Crimea. — *Paleont. J.* 37(4): 371-381.
- * ROGOV, M.A. & D.B. GULYAEV, 2003. — On the First Found of Aptychi in Representatives of the subfamily Proplanulitinae Buckman (Perisphinctidae, Ammonitida). — *Paleont. J.* 37(4): 382-385.
- * KLINGER, H.C. & W.J. KENNEDY, 2003. — Cretaceous faunas from Zululand and

Natal, South Africa. The ammonite families Nostoceratidae Hyatt, 1894 and Diplomoceratidae Spath, 1926. — *Ann. of the South African Mus.*, Vol. 110: 219-234.

OTHER FOSSILS

- * O'HARA, S.J. & M. SUGAYA, 2002. — Molluscan fossils from the Upper Pleistocene Kioroshi Formation in the Dejima Upland of the Kasumiga-ura District, Central Japan. — *Bull. Ibaraki Nat. Mus.* 5: 1-20.
- * LANDAU, B., R. MARQUAT & M. GRIGIS, 2003. — The Early Pliocene Gastropoda of Estepona, Southern Spain. Part 1: Vetigastropoda. — *Palaeontos No.* 3: 1-87.
- * LOZOUET, P., J.-F. LESPORT, R. FAVIA, PH. RENARD & PH. ROCHER, 2002. — Les bivalves de l'Aquitainien (Miocène inférieur) de Saucats «Larrey» (Gironde) 1. Pterimorpha. [with English abstract] — *Cossmanniana* 9(1-4): 1-45.
- * LAGARDE, L., 2003. — Remarques sur quelques espèces de Mollusques (Gastropoda: Apogastropoda) du Serravallien (Miocène Moyen) d'Aquitaine. [with English abstract] — *Cossmanniana* 9(1-4): 49-55.
- * GUZHOV, A.V., 2003. — To the Revision of Jurassic Gastropods from Central Russia: 3. Genera *Teutonica* Schröder, 1945, *Longaevicerithium* gen. nov., and *Novoselkella* gen. nov. — *Paleont. J.* 37(4): 366-370.
- * MORENO, J.A., A. PEÑAS & E. ROLAN, 2003. — Contribution to the knowledge of the Miocene malacological fauna from Pedrera, Sant Llorenç d'Hortons (NE of the Iberian peninsula). [in Spanish with English abstract] — *Iberus* 21(1): 129-175.
- * COOK, A.G., R.B. BLODGETT & TH. BECKER, 2003. — Late Devonian gastropods from the Canning Basin, Western Australia. — *Alcheringa* 27(3-4): 181-207.
- * SÁNCHEZ, M. & N.E. VACCARI, 2003. — Ucumariidae new family (Bivalva, Anomalodesmata) and other bivalves from the Early Ordovician (Tremadocian) of north-western Argentina. — *Ameghiniana* 40(3): 415-424.
- * KIEL, S. & K. BANDEL, 2003. — New taxonomic data for the gastropod fauna of the Umzamba Formation (Santonian — Campanian, South Africa) based on newly collected material. — *Cretaceous Res.* 24(4): 449-475.

* PICCIOLI RESTA, G. & B. PRETE, 2003. — Report of a Pleistocene marine mollusk layer in Nardó (Lecce, Italy). — *La Conchiglia* 35(308): 47-54, 61.


* See also under Gastropoda: Cystiscidae, Eratoidae, Marginellidae, Muricidae, Neritidae, Triviidae, Turbinidae; Bivalvia: General, Mactridae, Nuculanidae, Pectinidae.

FIELDTRIPS / VELDWERK

- * GEMERT, L. VAN, 2003. — Marine schelpen verzamelen op Ko Samui (Golf van Thailand). — *De Kreukel* 39(7): 95-109.
- * SMALL, M., 2003. — Exploring the southern Sea of Cortez on the Ambar III. — *The Festivus* 35(11): 129-132.

MISCELLANEOUS / VARIA

- * KRISBERG, M., 2003. — Comments on Desiccation and Preservation of shells. — *Of Sea and Shore* 25(3): 215-216.
- * GOUNON, A., 2003. — Muséum du coquillages des Sables-d'Olonne. — *Xenophora* No. 104: 25-27.
- * MIENIS, H.K. & G. HADAS, 2003. — Archaeomalacological finds in the vicinity of 'En Gedi'. 3. Molluscs from an ancient aqueduct in Nahal Arugot. — *Triton* No. 8: 33-34.
- * MIENIS, H.K., 2003. — An iron age pendant found at Tel Malhata made from a 75 million years old fossil. — *Triton* No. 8: 35.



(Coquand, 1863) from Tel Malhata. — *Triton* No. 8: 35.

- * PEUCHOT, R., 2003. — Archéozoologie. Etudes malacologiques. — *Novapex/Société* 4(4): 105-118.
- * JOHNSON, R.T., 2003. — Molluscan taxa and bibliographies of William James Clench and Ruth Dixon Turner. — *Bull. Mus. Comp. Zool.* 158(1): 1-46.