



TIJDSCHRIFTARTIKELEN

W. Faber

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde. [] redactionele opmerkingen.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order. [] editorial notes.

GENERAL / ALGEMEEN

- * NEUBERT, E. & M. GOSTELI, 2005. — The molluscan species described by Robert Shuttleword II. Polyplacophora, Gastropoda (Caenogastropoda), Bivalvia. — Contr. Nat Hist., Sci. papers Nat Hist. Mus. Bern No. 5: 1-79.

REGIONAL / REGIONAAL

- * CALLOMON, P. & R.E. PETIT, 2004. — Tadashige Habe's 'Coloured Illustrations of the Shells of Japan (II)' and 'Shells of the Western Pacific in Color vol. 2': Comparison of printings and treatments of included taxa. — Venus suppl. 3: 1-59.
- * HEWITT, S.J., 2005. — A preliminary survey of the marine mollusks of the island of Mustique, West Indies. — The Festivus 37(1): 3-9.
- * LEE, S.-C. & S.-M. CHAO, 2004. — Shallow-water marine shells from Kenting National Park, Taiwan. — Coll. and Res. No. 17: 33-57.
- * MIENIS, H.K., 2004. — New data concerning the presence of Lesseptian and other Indo-Pacific migrants among molluscs in the Mediterranean Sea with emphasize on the situation in Israel. — In B. Öztürk & A. Salman (eds.): Proceedings 1st National Malacology Congress, 1-3 September 2004, Izmir. — Turkish Journal of Aquatic Life 2(2): 117-131.
- * MIENIS, H.K. & R. BEN-DAVID-ZASLOW, 2004. — A preliminary list of the marine molluscs of the national park and nature reserve of Akhziv-Rosh Hanikra. — Triton No. 10: 13-37.
- * POPPE, G.T., 2004. — Conchological treasures from the Philippines, part I. — Visaya 1(2): 50-58.

POLYPLACOPHORA (Class)

- * DELL'ANGELO, B., B. ANSEEUW, Y. TERRYN & A. BONFITTO, 2004. — Why are beached *Acanthochitona fascicularis* (Linnaeus, 1767) from Italy missing their dorsal girdle elements? — Iberus 22(2): 45-49.
- * HOARE, R.D. & J.R. FARRELL, 2004. — Lower Devonian Polyplacophora from New South Wales, Australia. — Palaeontology 47(6): 1495-1506.

GASTROPODA

ACMAEIDAE

- * CHERNSKEV, A.V., 2004. — On the type specimen of *Acmaea persona* Rathke, 1833. [in Russian] — Ruthenica 14(1): 5-8.

ACTEONIDAE

- * VALDÉS, Á. & Y.E. CAMACHO-GRACÍA, 2004. — "Caphalaspidean" Heterobranchs from the Pacific Coast of Costa Rica. — Proc. California Ac. Sci. 55(26-35): 459-497.

AGLAJIDAE

- * See under Acteonidae.

BUCCINIDAE

- * SMIRNOV, I.P., 2004. — Distribution of gastropods of the genus *Neancistrolepis* Habe et Sato, 1972 off Sakhalin Island (Okhotsk Sea). [in Russian] — Ruthenica 14(1): 71-72.

BULLIDAE

- * See under Acteonidae.

BURSIDAE

- * GEMERT, L. VAN, 2004. — De Bursidae en Personidae van de Rode Zee, in het bijzonder die van de kust tussen Hurghada en Port Safaga. — De Kreukel 40(11): 149-156.
- * TARRUELLA RUESTES, A. & J. LÓPEZ-SORIANO, 2004. — Nuevos datos sobre *Bursa scrobilator* Linnaeus, 1758 en Cataluña e islas Baleares. — Spira 1(4): 47-49.

CALYPTRAEIIDAE

- * ROLÁN, E., 2004. — The genus *Calyptarea* in the East Atlantic. — Iberus 22(2): 51-79.

COLUMBELLIDAE

- * DEMANTENON, M., 2004. — Sexually dimorphic radular morphology in *Euplica varians* and *E. versicolor*. — Moll. Res. 24(3): 179-185.

CONIDAE

- * LORENZ, F. & H. MORRISON, 2004. — The genus *Lilliconus* G. Raybaudi Massilia in the Western Pacific.... — Schriften zur Malakozoologie aus dem Haus der Natur, Cismar, Heft 21: 29-34.
- * TOUTOU, D., 2005. — Aide à l'identification des cônes du complexe de *Conus lividus*. [with English text] — Xenophora No. 109: 8-11, 38.

CYLICHNIDAE

- * See under Acteonidae.

CYPRAEIDAE

- * CRAMM, D., 2004. — *Notodusta eugeniae* paratypes found. — Austr. Shell News No. 123: 1,3.

- * DANDRIMONT, TH., 2005. — À l'île Maurice, les «Coquilles Ravauder» noircissent: Pourquoi? [with English text] — Xenophora No. 109: 48-52.

- * DELONGUEVILLE, Chr. & R. SCAILLET, 2004. — *Erosaria turdus* (Lamarck, 1810) dans le Golfe de Gabès, Tunisie. — Novapex 5(4): 147-148.

- * GOUTAL, F., 2005. — Cypraeidae des Petites Antilles. [with English text] — Xenophora No. 109: 20-27.



Macrocypraea zebra L., 1758). Not very common to rather rare in the Lesser Antilles — Xenophora No. 109: 21.

- * HEIMAN, E.L., 2004. — Variability of cowry populations 21. Intraspecific variation in *Erosaria lamarckii* (Gray, 1825). — Triton No. 10: 39-43.

- * HEIMAN, E.L., 2004. — Variability of cowry populations 22. Variation in *Erronea caurica* (Linnaeus, 1758). — Triton No. 10: 44-54.

- * HEIMAN, E.L., 2004. — Intraspecific variation in *Mauritia arabica* (Linnaeus, 1758). — Visaya 1(2): 4-18.

- * KOSUGE, T. & K. KISO, 2004. — Cowries found in gut contents of the Pacific yellowtail emperor *Lethrinus atkinsoni* captured off Yaeyama Islands, Okinawa Prefecture, Japan. [in Japanese] — Chiribotan 35(3): 86-89.

EPITONIIDAE

- * DUERR, R., 2004. — *Cirsotrema* in the Miocene Chipola Formation of northwest Florida. — The Nautilus 118(4): 152-156.

GALEOMMATIDAE

- * DELNGUEVILLE, Chr. & R. SCAILLET, 2004. — *Montacuta substriata* (Montagu, 1808) vivant sur *Spatangus purpureus* (O.F. Müller, 1776) en Sardaigne. — Novapex/Société 5(4): 155-157.

FISSURELLIDAE

- * BUZZORRO, G. & P. RUSSO, 2004. — Notes and comments on the Mediterranean species of the genus *Diodora* Gray, 1821 — Triton No. 10: 1-9.

HALIOTIDAE

- * OWEN, B., 2004. — A photo study of the eastern Pacific hybrid abalones. — Of Sea and Shore 26(3): 154-157.
- * OWEN, B., 2004. — The *Haliotis brazieri* Angas, 1869, complex of eastern Australia: a review and photo study of a contentious group of taxa. — Of Sea and Shore 26(3): 166-172.
- * OWEN, B., 2004. — Proposed reclassification of *Haliotis roberti* McLean, 1970, and photo study and brief review of the tropical American *Haliotis*. — Of Sea and Shore 26(3): 194-199, 201.
- * OWEN, B., 2004. — The "Buzz" on abalones. — Of Sea and Shore 26(3): 209-213.

HAMINAEIDAE

- * See under Acteonidae.

LITTORINIDAE


- * SANPANICH, K., E. WELLS & V. CHITRAMVONG, 2004. — Distribution of the family Littorinidae in Thailand. — Rec. Western Australian Mus. 22(3): 241-251.

LOTTIIDAE

- * CHERNYSHEV, A.V. & T.V. CHERNOVA, 2004. — The systematic position of *Lottia angusta* (Moskalev in Golikov et Scarlato, 1967. [in Russian] — Ruthenica 14(1): 1-4.

MARGINELLIDAE

- * BOYER, F. & C. SIMBILLE, 2004. — A propos d'une espèce jumelle de *Marginella bellii* Sowerby, 1840. [con riassunto Italina] — Boll. Malac. 40(5-8): 80-87.



Marginella aequinoctialis. 13.6 x 6.8 mm. Cap Esterias, Gabon. — Boll. Malac. 40(5-8): 84.

- * WAKEFIELD, A. & T. McCLEERY, 2004. — The genus *Volvarina* in Polynesia. — Novapex 5(4): 131-138.

MELONGENIDAE

- * KOSYAN, A.R. & YU. I. KANTOR, 2004. — Morphology, taxonomic status and relationships of Melongenidae. — Ruthenica 14(1): 9-36.

MITRIDAE

- * ROBIN, A. & J.C. MARTIN, 2005. — Mitridae et Costellariidae. Genus *Scabricola*. — Xenophora No. 109: pls. M-23-24.

MONTACUTIDAE

- * See Galeommatidae.

MURICIDAE

- * BOS, P., 2005. — *Chicoreus (Tripes) palmarosae* Lamarck, 1822. Comparaison entre les formes des Philippines et du Sri Lanka. [with English text] — Xenophora No. 109: 54-55
- * GHARSELLAH, I.H., N. ZAMOURI-LANGAR, H. MISSAOUF & A. EL ABED, 2004. — Étude de la croissance relative et de la biomasse d'*'Hexaplex trunculus* dans la lagune de Bizerte. [with English abstract] — Bull. Sci. Zool. Fr. 129(4): 427-436.

- * HOUART, R., 2004. — Review of the Recent species of *Morula (Oppomorus)*, *M. (Azumamorula)* and *M. (Habramorula)*. — Novapex 5(4): 91-130.

- * LAHHIB, Y., N. TRIGUI EL-MENIF, M. LE PENNEC & M. BOUMAZA, 2004. — Données sur le cycle reproducteur des mollusques gastéropodes *Haxaplex trunculus* (Linné, 1758) de la lagune de Bizerte (Tunisie). [with English abstract] — Bull. Sci. Zool. Fr. 129(4): 407-418.

- * LAURANCEAU, N., 2004. — Origines et variations de la forme et de la pigmentation des Prosobranches. Reproduction et Taxonomie. Comparaison des populations Malgaches du *Murex haustellum* avec celles d'autres localités. — Xenophora No. 109: 12-19.

- * ROLÁN, E. & J. GUERRA, 2004. — El difícil trabajo de alementarse: observaciones sobre la rádula de *Nucella lapillus* en Galicia. — Noticiario SEM No. 42 : 54-56.

NASSARIIDAE

- * HARZHAUSER, M. & TH. KOWALKE, 2004. — Survey of the Nassariid Gastropods in the Neogene Parathrethys. [mit deutscher Zusammenfassung] — Archiv für Molluskenkunde 133(1-2): 1-61.

NERITIDAE

- * GIUNTELLI, P., 2004. — Variabilità dell'ornamentazione in *Theodoxus pictus* del bacino terziario ligure piemontese. [wit English abstract] — Boll. Malac. 40(5-8): 74-76.
- * SYMONDS, M.F., 2005. — The Neritidae of the Barton Group (Middle Eocene) of the Hampshire Basin. — Tertiary Res. 21(1-4): 1-10.

PERSONIDAE

- * See under Bursidae.

PHASIANELLIDAE

- * NOGUEIRA DE SOUZA E.M., L.M. FREITAG, I.M. DEJESUS, D.M. VIERA, 2004. — *Tricolia* Risso, 1826 on Paripueira Beach, on the coast of the state of Alagoas. [in Portuguese with English abstract] — Bioikos 17(1-2): 71-75.

POTAMIDIIDAE

- * NAGATONO, S., N. OKADA, A. HAYASHI & H. YAMADA, 2004. — Distribution of potamidiids in western area of Hiroshima Prefecture, Japan. [in Japanese] — Chiributan 35(3): 81-85.

PYRAMIDELLIDAE

- * SOLUSTRI, C. & P. MICALI, 2004. — Pyramidelidae di un'area costiera del medio Adriatico ed ipotesi di associazione con i possibili ospiti. [with English abstract] — Boll. Malac. 40(5-8): 60-69.

RETUSIDAE

- * MIENIS, H.K., 2004. — An old find of *Retusa desgenettii* (Adouin, 1826) from the Bardawil Lagoon, Egypt. — Triton No. 10:12.
- * See under Acteonidae.

RISSOIDAE

- * ABSALÃO, R.S. & F.N. SANTOS, 2004. — Recent deep-sea species of *Benthonellania* Lozouet, 1990 from the south-western Atlantic — J. Conch. 38(4): 329-340.

TEREBRIDAE

- * MIENIS, H.K., 2004. — A conformation of the presence of *Terebra amoena* in the Red Sea. — Triton No. 10:11.

TROCHIDAE

- * MIESZKOWSKA, N., S.J. HAWKINS, PH. WILLIAMSON & M.A. KENDALL, 2004. — Is climate change driving recent range expansions in British trochid gastropods? — Moll. World No. 6: 9.

BIVALVIA

CARDITIDAE

- * JANSEN, A.W. & P.W. MOERDIJK, 2004. — Revision of Pliocene representatives of *Cyclocardia* from the North Sea Basin. — Basteria 68(4-6): 77-85.

DONACIDAE

- * DIAS PASSOS, F. & O. DOMANESCHI, 2004. — Biologia e anatomia funcional de *Donax gemmula* Morrison do litoral de São Paulo, Brasil. [with English abstract] — Rev. Brasileira Zool. 21(4): 1017-1032.

GRYPHAEIDAE

- * BIELER, R., P.A. MIKKELSEN, T. LEE & D.Ó. FOIGHIL, 2004. — Discovery of the Indo-Pacific oyster *Hyotissa huotis* (Linnaeus, 1758) in the Florida Keys. — Moll. Res. 24(3): 149-159.

MYTILIDAE

- * JAAFAR, F., N. TRIGUI EL-MENIF, M. LE PENNEC & M. BOUMAIZA, 2004. — Perturbations coquillières chez le mollusque bivalve *Lithophaga lithophaga* prélevé dans la baie de Bizerte (Tunisie). [with English abstract] — Bull. Sci. Zool. Fr. 129(4): 419-426.

- * LE PENNEC, M., G. LE PENNEC, N. ALOU-BEJACUI & B. MÉTIONER, 2004. — Les Mytilidés et l'eau. [with English abstract] — Bull. Sci. Zool. Fr. 129(4): 393-406.

PECTINIDAE

- * ŠILETI & T., 2004. — First record of *Semipallium coruscans coruscans* (Hinds, 1845) in the South Adriatic Sea (Mljet Island, Croatia). — Boll. Malac. 40(5-8): 57-59.

PINNIDAE

- * VICENTE, N. et al., 2003. — Premier Séminaire International sur la Grande Nacre de Méditerranée: *Pinna nobilis*. — Mémoires Inst. Oc. Paul Ricard: 7-16.

VENERIDAE

- * BOEHS, G. & A.R.M. MAGELHÄES, 2004. — Simbiontes associados com *Anomalocardia brasiliiana* (Gmelin) na Ilha de Santa Catarina e região continental adjacente, Santa Catarina, Brasil. [with English abstract] — Rev. Brasileira Zool. 21(4): 865-869.

SLUGS / NAAKTSLAKKEN


- * ARDILA, N.E. & A. VALDÉS, 2004. — The genus *Armina* in the southern Caribbean, with the description of a new species. [*A. elongata*]. — The Nautilus 118(4): 131-138.
- * GARCÍA, E.J. & J.S. TRONCOSO, 2004. — A new species of the genus *Anetarca* Gosliner, 1991 (Facelinidae) from the western Ocean. [*A. brasiliiana*]. — The Nautilus 118(4): 139-143.
- * VALDÉS, Á., 2004. — Phylogeography and phyloecology of dorid nudibranchs. — Biol. J. Linnean Soc. 83(4): 551-559.
- * VALDÉS, Á. & O.A. CAMPILLO, 2004. — Systematics of pelagic aeolid nudibranchs of the Family Glaucidae. — Bull. Marine Sci. 75(3): 381-289.

SCAPHOPODA (Class)

- * IVANOV, D.L. & E.M. ZARUBINA, 2004. — Distribution of scaphopod molluscs in the North Atlantic and Arctic Oceans, based on materials of Russian and Soviet expeditions. — Ruthenica 14(1): 89 ff.
- * STEINER, G. & A.R. KABAT, 2004. — Catalog of species-group names of Recent and fossil Scaphopoda. — Zoosystema 26(4): 549-726.

CEPHALOPODA (Class)

- * BENCHLEY, P., 2005. — Squid. — Asian Geographic 2005(1): 50-61.
- * KATUGIN, O.N., 2004. — Squids of the family Gonatidae from the North Pacific Ocean and their genetic differentiation: controversial issues in their systematics and phylogeny. [in Russian] — Ruthenica 14(1): 72-88.
- * KÖHLER, F. & M. GLAUBRECHT, 2004. — Addendum to the catalogue of cephalopod types in the Museum für Naturkunde, with remarks on *Onychoteuthis* taxa described by Hinrich Lichtenstein. — Mitt. Mus. Nat.kd. Berlin, Zool. Reihe 80(2): 275-282.
- * LINDGREN, A.R., G. GIRIBET & M.K. NISHIGUCHI, 2004. — A combined approach to the phylogeny of Cephalopoda. — Cladistics 20(5): 454-486.



Microeledone mangoldi n. gen and n. sp. — Moll. Res. 24(3): 197.


- * NORMAN, M.D., F.G. HOCHBERG & R. BOUCHER-RODONI, 2004. — *Microeledone mangoldi* n. gen. and n. sp., a deep-water pygmy octopus from the Norfolk Ridge, New Caledonia (Octopodidae). — Moll. Res. 24(3): 193-209.

- * WARNE, K., R. SÖLLER, D. BLOHM & U. SAINT-PAUL, 2004. — A new look at geographic and phylogenetic relationships within the species group surrounding *Octopus vulgaris*: indications of very wide distribution from mitochondrial DNA sequences. — J. Zool. Syst. and Evolutionary Res. 42(4): 306-312.

FOSSILS / FOSSIELEN

CEPHALOPODA

- * BERT, D. & A. BONNET, 2004. — Étude paléobiologique d'une population d'*Euaspidoceras davouxi* sp. nov. (Aspidoceratidae Zittel, 1895, Ammonitina) du sommet de la sous-zone à Vertebrata (Oxfordien moyen, zone à Plicatilis) dans le sud-est de la France. [with English abstract] — Rev. Paléontobiologie 23(1) 81-98.
- * DOMMERGUES, J.-L., CHR. MEISTER & E. JAILLARD, 2004. — Ammonites de la formation Santiago de la zone subandine du S-E de l'Équateur (Jurassique inférieur, Sinémurien) [with English abstract] — Rev. Paléontobiologie 23(1) 355-371.
- * DOMMERGUES, J.-L. & P. NEIGE, 2004. — *Fuciniceras capilliolusitanicum* nov. sp., une nouvelle espèce d'ammonite du Domérien lusitanien (Pliensbachien, Portugal). [with English abstract] — Rev. Paléontobiologie 23(1) 373-386.
- * HEWITT, R.A., 2002. — A review of the Early Eocene nautiloids of the London Clay Formation (upper division C to lowest division E) of south-east England. — Tertiary Res. 21(1-4): 39-50.
- * HOEDEMAKER, Ph.J., 2004. — Early Cretaceous ammonites from Colombia. — Scripta Geologica No. 128: 1-58.
- * IFRIM, CHR., W. STINNESBECK & J. GUADELUPE LÓPEZ-OLIVA, 2004. — Mastrichtian cephalopods from Cerralvo, north-eastern Mexico. — Palaeontology 47(6): 1575-1627.
- * KLUG, CHR., D. KORN, U. RICHTER & M. ULRICH, 2004. — The black layer in cephalopods from the German Muschelkalk (Triassic). — Palaeontology 47(6): 1407-1425.



Reconstruction of *Ceratites spinosus spinosus* Philippi, 1901. — Palaeontology 47(6): 1420.

- * KORN, D., 2004. — Late Famennian cephalopods from the Refrath 1 Borehole

(Bergisch Gladbach-Paffrath Syncline; Ardennes-Rhenish Massif, Germany). — Cour. Forsch.-Inst. Senckenberg No. 251: 175-183.

- * PATARROYO, P., 2004. — Die Entwicklung der Ammoniten der Familie Pulchelliidae aus dem Barrême von Zentral-Kolumbien (Südamerika). [with English abstract; avec résumé Français] — Rev. Paléontobiologie 23(1) 1-65.
- * PORTELL, R.W., S.K. DONOVAN & R.K. PICKERILL, 2004. — The nautiloid *Aturia* in the Mid-Cainozoic of Jamaica and Carriacou. — Cainozoic Res. 3(1-2): 135-141.
- * YACOBUCCI, M.M., 2004. — *Neogastroploites* meets *Metengonoceras*: morphological response of an endemic hoplitid ammonite to a new invader in the mid-Cretaceous Mowry Sea of North America. — Cretaceous 25(6): 927-944.

OTHER FOSSILS

- * AMLER, M.R.W., 2004. — Late Famennian bivalve, gastropod and bellerophontid molluscs from the Refrath 1 Borehole (Bergisch Gladbach-Paffrath Syncline; Ardennes-Rhenish Massif, Germany). — Cour. Forsch.-Inst. Senckenberg No. 251: 151-173.
- * BOGI, C. & C. CHIRLI, 2004. — Studi sul Pliocene toscano. Poggio alla Fame presso Colle di Val d'Elsa. [with English abstract] — Boll. Malac. 40(5-8): 88-93.
- * CHOOWONG, M. ET AL., 2004. — Holocene Biostratigraphical Records in Coastal Deposits from Sam Roi Yod National Park, Prachuap Khiri Khan, Western Thailand. — Nat Hist. J. Chulalongkorn Uni. 4(2): 1-18.
- * GUZHOU, A.V., 2004. — Jurassic Gastropods of European Russia (Orders Cerithiiformes, Bucciniformes, and Epitoniiiformes). — Paleont. J. suppl. 2004: S457-S562.
- * LOZANO-FRANCISCO, M.C., J.L. VERA-PELÁEZ, M.D. SIMÓN VALLEJO & M. CORTÉS SÁNCHEZ, 2004. — Nuevos datos sobre el registro malacológico del Pleistoceno Superior-Holoceno de la Cueva de Nerja (Málaga, España). [with English abstract] — Rev. Española de Paleont. 19(2): 215-228.
- * MALCHUS, N., 2004. — Constraints in the ligament ontogeny and evalution of pteriomorphian Bivalvia. — Palaeontology 47(6): 1539-1574.
- * VERA-PELÁEZ, J.L., M.C. LOZANO-FRANCISCO, J. RAMOS FERNÁNDEZ & M. CORTÉS SÁNCHEZ, 2004. — Moluscos del Tirreniense (Pleistoceno Superior) de la Playa la Araña-Cala del Moral (Málaga). — Rev. Española de Paleont. 19(2): 251-259.
- * WALLER, Th.R. & G.D. STANLEY JR, 2005. — Middle Triassic pteriomorphian Bivalvia from the New Pass Range, West-Central Nevada: Systematics, biostratigraphy, paleoecology, and paleobiogeography. [many new species] — J. Paleont. 79(1): 1-64.
- * See also Polyplacophora; Gastropoda: Epitonidae, Nassariidae, Neritidae; Bivalvia: Carditidae.

FIELDTRIPS / VELDWERK

- * ALMASI, E.S., 2004. — Chile "A long petal

- of the sea....". — Of Sea and Shore 26(3): 158-165, 178.
- * CASEMENT, A.R., 2004. — Shelling Surprises in New Zealand. — Of Sea and Shore 26(3): 200, 203-204, 208.
- * GRATECAP, D., 2005. — Escale au Sénégal. — Xenophora No. 109: 39-47, 52.
- * ROBERTS, T. & T. RICE, 2004. — Shells from Fim do Mundo, [Mozambique] — Of Sea and Shore 26(3): 175-177.
- * ROBIN, A., 2005. — Panglao 2004. Une expédition scientifique dirigée par le MNHM. [Philippines] [with English text] — Xenophora No. 109: 32-38.
- * SEITZINGER, R.T., 2004. — Schelpen verzamelen op Canarische Eil. Gran Canaria (april-2000) — Tenerife (feb-2003). — De Kreukel 40(11): 169-183.
- MISCELLANEOUS / VARIA
- * GEMERT, L. VAN, 2004. Was Hugh Cuming (1791-1865), de grootste schelpenverzamelaar ooit, analfabeet? — De Kreukel 40(11): 149-156.
- * MIENIS, H.K., 2004. — Aquatic Molluscs. In: P. Figueras (Ed.): Horvat Karkur 'Illit. — Beer-Sheva Archaeological Monographs, 1: 332-334.
- * NARBETH, C., 2004. — The cowry shell as money. — Moll. World No. 6: 18: 21.
- * ROWSON, B. & J. TURNER, 2004. — Digital photography of molluscs. — Moll. World No. 6: 16: 18.
- * WIESE, V., 2004. — 25 Jahre «Haus der Natur – Cismar» - Malakologisches und Museales aus dem kleinen Dorf in die grosse Welt. — Schriften zur Malakozoologie aus dem Haus der Natur, Cismar, Heft 21: 39-62.