


ARTIKELEN IN TIJDSCHRIFTEN
(JOURNAL PAPERS: CONTINENTAL MALACOLOGY)

R.A. Bank

References to malacological articles published in journals. Sorted in the following order of succession: Faunistics/Ecology – Fossil Assemblages – Bivalvia – Gastropoda (alphabetically rubricated at the family level) – Miscellania – Publications in the Bulletin of Zoological Nomenclature (new cases – comments on previous cases – Opinions). Within each item, papers are alphabetical ordered on the name of the first author.

FAUNISTICS / ECOLOGY

- * ANGELOV, A. (2000): Freshwater molluscs (Mollusca: Gastropoda and Bivalvia) from the Srebrana Lake, northeastern Bulgaria. – Historia Naturalis Bulgarica, 11: 133-138. Sofia.
- * BEN-AMI, F. & N. SIVAN (2000): A survey of landsnails from southwestern Jordan. – Israel Journal of Zoology, 46 (3): 181-191.
- * CARLSSON, R. (2001): Species-area relationships, water chemistry and species turnover of freshwater snails on the Åland Islands, southwestern Finland. – Journal of Molluscan Studies, 67 (1): 17-26. London.
- * COSTIL, K., G.B.J. DUSSART & J. DAGUZAN (2001): Biodiversity of aquatic gastropods in the Mont St-Michel basin (France) in relation to salinity and drying of habitats. – Biodiversity and Conservation, 10 (1): 1-18.
- * DEDOV, I. & L. PENEV (2000): Species composition and origins of the terrestrial gastropod fauna of Sofia City, Bulgaria. – Ruthenica, 10 (2): 121-131. Moskva.
- * KÖRNIG, G. (2000): Die Gastropodenfauna mitteleuropäischer Auenwälder. – Hercynia, Neue Folge 33 (2): 257-279. Halle (Saale).
- * ONDINA, P. & S. MATO (2001): Influence of vegetation type on the constitution of terrestrial gastropod communities in northwestern Spain. – The Veliger, 44 (1): 8-19. Santa Barbara.



Zospeum spelaeum lamellatum - Bole, 1974,
Razprave SAZU, 17: fig. 17d-e.



- * PONDER, W.F. (2000): Interactive CD Rom guide and key to the freshwater Mollusca of Australia. – Australasian Shell News, 108: 4.
- * SERAFINSKI, W., A. MICHALIK-KUCHARZ & M. STRZELEC (2000): Four centuries of investigations on recent malacofauna of Silesia. – Przeglad Zoologiczny, 44 (1-2): 7-12. Wrocław. (Polish)
- * SVERLOVA, N.V. (2000): Habitat of land molluscs in Lviv and its environs. – Vestnik Zoologii, 34 (3): 73-77. Kyiv. (Russian)

FOSSIL ASSEMBLAGES

- * FUJIE, A. (2000): Holocene fossil assemblages of minute land molluscs from sand dunes on Kikajima Island in the Amami Archipelago, Japan. – Venus, 59 (4): 317-324. Tokyo.

BIVALVIA

- * ARAUJO, R., D. BRAGADO & M.A. RAMOS (2001): Identification of the river blenny, *Salaria fluviatilis*, as a host to the glochidia of *Margaritifera auricularia*. – Journal of Molluscan Studies, 67 (1): 128-129. London.
- * EDLINGER, K. & W. DAUBAL (2000): Ein Fund der ostasiatischen Chinesischen Flußperlmuschel *Sinanodonta woodiana* (LEA 1834) in Österreich. – Club Conchylia Informationen, 32 (4-6): 51-53. Ludwigsburg.
- * GRAF, D.L. & D.O. FOIGHIL (2000): Molecular phylogenetic analysis of 28S rDNA supports a Gondwana origin for Australasian Hyriidae (Mollusca: Bivalvia: Unionoida). – Vie et Milieu, 50 (4): 245-254.
- * GUTLEB, B., D. STREITMAIER, B. SEIDEL & P. MILDNER (2000): Das Anheften der Gemeinen Kugelmuschel *Sphaerium corneum* (LINNAEUS, 1758) (Mollusca: Bivalvia: Sphaeriidae) an Amphibien. – Carinthia II, 110 (2): 555-560. Klagenfurt.
- * HASTIE, L. & P. COSGROVE (2001): The decline of migratory salmonid stocks: a new threat to pearl mussels in Scotland. – Freshwater Forum, 15: 85-96. Cumbria.
- * IYAMA, H. & S. TAKAHASHI (2000): Classification of Japanese Pisidida. – Chiribotan, 31 (3): 63-66. Tokyo. (Japanese)




Virpazaria backhuysi - Gittenberger, 1969,
Zool. Meded., 43: fig. 5.

GASTROPODA

ACHATINIDAE

- * SIRGEL, W.F. (2000): Comparative genital anatomy of some South African Achatinidae (Pulmonata). – Annals of the Natal Museum, 41: 209-235. Pietermaritzburg.

> Anatomy of *Archachatina dimidiata*, *A. burnupi*, *A. transvaalensis*, *A. sanctaeluciae*, *A. churchilliana*, *A. livingstonei*, *Achatina bisepta*, *A. craventi* and *A. smithii*.




Porphyrobaphe iostoma - Schileyko, 1999.
Ruthenica, Suppl. 2: fig. 449A.

ANCYLIIDAE


- * SANTOS, S. BARBOSA DOS (2000): Morfologia do sistema muscular e do sistema reprodutor de *Anisancylus obliquus* (BRODERIP & SOWERBY) do Chile, como contribuição à sistemática de Ancyliidae (Gastropoda, Pulmonata, Basommatophora). – Revista Brasileira de Zoológia, 17 (4): 995-1006. Curitiba.

ASSIMINEIDAE

- * GRIFFITHS, O.L. (2000): Nine new spe-



Ancylus fluvialis - Hubendick, 1970, Acta Reg. Soc. Sci. Litt. Gothob., Zool. 5: fig. 80-81.



Aculyus scalariformis and *A. lapicidus* - Hubendick, 1970, Acta Reg. Soc. Sci. Litt. Gothob., Zool. 5: fig. 88, 91.

cies of Mascarene land snails (Mollusca: Gastropoda). – Molluscan Research, 20 (2): 37-50.

BENEDICTIIDI

- * SITNIKOVA, T. (2000): A new species of hydrobiid mollusk from Lake Baikal. – Ruthenica, 10 (2): 105-111. Moskva.

BOETTGERILLIDAE

- * REISE, H., J.M.C. HUTCHINSON, R.G. FORSYTH & T.J. FORSYTH (2000): The ecology and rapid spread of the terrestrial slug *Boettgerilla pallens* in Europe with reference to its recent discovery in North America. – The Veliger, 43 (4): 313-318. Santa Barbara.

BRADYBAENIDAE

- * Wu, M. & D.-N. CHEN (2000): A new species of the genus *Bradybaena* from Tibet, China (Pulmonata: Stylommatophora: Bradybaenidae). – Acta Zootaxonomica Sinica, 25 (1): 30-32.

CAMAENIDAE

- * AZUMA, Y. (2000): Rediscovery of *Luchuhadra iheyaensis* (Pulmonata: Camaenidae) from Iheya Island, Okinawa Pref., and its genital system. – Chiribotan, 31 (3): 85-89. Tokyo. (Japanese)

CHAROPIDAE


- * EDDIE, C. (2000): A new locality for the land snail genus *Elsotera* (Charopidae) in Queensland. – Australasian Shell News, 108: 4-5.
- * FONSECA, A.L.M. & J. THOMÉ (2000): Conquiliomorfología y anatomía de los sistemas excretor y reproductor de *Radiodiscus cuprinus* n. sp. (Gastropoda: Stylommatophora: Charopidae). – Neotrópica, 46: 11-18. La Plata.

CHONDRINIDAE

- * BÖNECK, U. (2000): Eine neue *Abida*-Art aus den südöstlichen Pyrenäen (Gastropoda: Stylommatophora: Chondrinidae). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (1, 1): 5-11. Dresden.

CLAUSILIIDAE

- * EDLINGER, K. (2000): *Clausilia dubia steinbergensis* n. ssp.: Eine neue Unterart von *Clausilia dubia* (DRAPARNAUD 1805) aus dem östlichen Österreich. – Club Conchylia Informationen, 32 (4-6): 39-44.
- * FEHÉR, Z. (2000): *Medora macarscensis brancsiki* subsp. n., a new endemic clausiliid from the Velebit mountains, Croatia (Gastropoda: Stylommatophora: Clausiliidae). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (1, 2): 13-17. Dresden.
- * WELTER-SCHULTE, F.W. (2000): The pattern of geographical and altitudinal variation in the land snail *Albinaria idaea* from Crete (Gastropoda: Clausiliidae). – Biological Journal of the Linnean Society, 71 (2): 237-250. London.



Nesiophaedusa okinoerabuensis - Pilsbry, 1905, Proc. Acad. natl. Sci. Philadelphia, pl. LII fig. 14 (right).

Acrophaedusa fruhstorferi - Loosjes, 1953, Beaufortia, 31: fig. 51 (left).

DIPLOMMATINIDAE


- * HWANG, C.-C., K.-M. CHANG & H.-W. CHANG (2001): *Diplommatina chaoi* (Prosobranchia: Diplommatinidae), a new species from southern Taiwan. – The Veliger, 44 (1): 104-107. Santa Barbara.

ELLOBIIDAE

- * KIMURA, S. (2000): The Ellobiid fauna in Miyakojima Island, Okinawa Pref., southwestern Japan. – Chiribotan, 31 (3): 69-84, pl. 1-6. Tokyo. (Japanese)

ENDODONTIDAE

- * ABDOU, A. & P. BOUCHET (2000): Nouveaux gastéropodes Endodontidae et Punctidae (Mollusca, Pulmonata) récemment éteints de l'archipel des Gambier (Polynésie). – Zoosystema, 22 (4): 689-707. Paris.



Paryphantopsis arcuata - Van Benthem Jutting, 1964, Nova Guinea, Zool. 26: fig. 24-26.

ENIDAE

- * CHEN, D.-N. & G.-Q. ZHANG (2000): A new species of the genus *Holcauchen* from China (Gastropoda: Stylommatophora: Enidae). – Acta Zootaxonomica Sinica, 25 (4): 369-372.

GLACIDORBIDAE


- * PONDER, W.F. & G.J. AVERN (2000): The Glacidorbidae (Mollusca: Gastropoda: Heterobranchia) of Australia. – Records of the Australian Museum, 52 (3): 307-353. Sydney.

HELICARIONIDAE

- * GRIFFITHS, O.L. (2000): Nine new species of Mascarene land snails (Mollusca: Gastropoda). – Molluscan Research, 20 (2): 37-50.

HELICIDAE

- * AKBAYIN, H., M. HEVEDANLI & R. SESEN (2001): Some *Assyriella* species in south east Anatolia in Turkey differentiated by multivariate statistical analysis (Gastropoda: Pulmonata, Helicidae). – Turkish Journal of Zoology, 25 (1): 1-9.
- * BAMINGER, H. & M. HAASE (2000): Variation of distal genitalia in the simultaneously hermaphroditic land snail *Arianta arbustorum* (Pulmonata, Stylommatophora) caused by sexual selection? – Biological Journal of the Linnean Society, 71 (4): 599-613. London.




Ouagapia occlusa - Van Benthem Jutting, 1964, Nova Guinea, Zool. 26: fig. 48-50.

- * MIENIS, H.K. (2000): Once more *Exiliberus jacksoni* IREDALE, 1942. – Australasian Shell News, 108: 6-7.
> A synonym of the desert snail *Eremina irregularis zitteli* from Libya.

HYDROBIIDAE

- * BERNASCONI, R. (2000): Révision du genre *Bythinella* (MOQUIN-TANDON, 1855) (Gastropoda Prosobranchia Hydrobiidae: Amnicolinae Bythinellini) de la France du centre-ouest, du Midi et des Pyrénées. – Documents Malacologiques, hors série No 1: 1-126. Boussenac.
- * HERSHLER, R. & D.W. SADA (2000): A new species of Hydrobiid snail of the genus *Pyrgulopsis* from northwestern Nevada. – The Veliger, 43 (4): 367-375. Santa Barbara.
- * WILKE, T. & G.M. DAVIS (2000): Infraspecific mitochondrial sequence diversity in *Hydrobia ulvae* and *Hydrobia ventrosa* (Hydrobiidae: Rissooidea: Gastropoda): Do their different life histories affect biogeographic patterns and gene flow? – Biological Journal of the Linnean Society, 70 (1): 89-105. London.



Bostryx metagyra - Schileyko, 1999, Ruthenica, Suppl. 2: fig. 350.

HYGROMIIDAE

- * CRAZE, P.G. & L.A. LACE (2000): Spatial ecology, habitat and speciation in the Porto Santan land snail genus *Heterostoma*. – Biological Journal of the Linnean Society, 71 (4): 665-676. London.
- * KITTEL, K. (2000): Endemische Landschnecken Portugals und der angrenzenden westlichen Iberischen Halbinsel, 1: *Candidula setubalensis* (L. PFEIFFER 1850). – Club Conchyliia Informationen, 32 (4-6): 15-17. Ludwigshafen.
- * SESEN, R. (2000): A new land snail from Mardin province in east Anatolia (Turkey). – Club Conchyliia Informationen, 32 (4-6): 11-13. Ludwigshafen.
- * TANIUSHKIN, A.I. & T.V. SELIVANOVA (2000): Micromorphology of the distal part of genitalia of *Trichia hispida* (Gastropoda, Pulmonata). – Ruthenica, 10 (2): 133-140. Moskva. (Russian)

LYMNAEIDAE

- * JACKIEWICZ, M. (2000): Structure of lymnaeid shell columella (Gastropoda: Pulmonata). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (1, 5): 37-44. Dresden.
- * WULLSCHLEGER, E. (2000): Ecological divergence and reproductive isolation between the freshwater snails *Lymnaea peregra* (MÜLLER, 1774) and *L. ovata* (DRAPARNAUD, 1805). – Dissertation submitted to the Swiss Federal Institute of Technology Zürich: 93 pp.

MEGALOBULIMIDAE


- * SIMONE, L.R.L. & J.L.M. LEME (1998): Two new species of Megalobulimidae (Gastropoda, Strophocheiloidea) from north São Paulo, Brazil. – Iheringia, Série Zoologia, 85: 189-203. Porto Alegre.

MELANOPSIDAE

- * SZAROWSKA, M., A. FALNIOWSKI & K. MAZAN (2000): Note on the ontogenetic change in morphology and chemical composition of the radular teeth in *Melanopsis* (Gastropoda: Cerithoidea). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (1, 4): 29-36. Dresden.

OXYCHILIDAE

- * ZHILTSOV, S.S. & T.V. SELIVANOVA (2000): Histological structure of the distal part of female portion of sexual apparatus of *Aegopinella nitidula* (DRAPARNAUD, 1801) (Pulmonata, Zonitidae). – Ruthenica, 10 (2): 141-146. Moskva. (Russian)



Naesiotus sculpturatus - Schileyko, 1999, Ruthenica, Suppl. 2: fig. 363.

PARTULIDAE

- * COWIE, R.H. & R.P. COOK (2001): Extinction or survival: partulid tree snails in American Samoa. – Biodiversity and Conservation, 10 (2): 143-159.

PLANORBIDAE


- * KRUGLOV, N.D. & E.V. SOLDATENKO (2000): The new data on species of the subgenus *Gyraulus* of the genus *Anisus* from European part of Russia and adjacent territories (Gastropoda Planorbidae). – Ruthenica, 10 (2): 113-120. Moskva. (Russian)
- * POINTIER, J.P. & K. ESCOUBEYROU, M.D. BARGUES & S. MAS-COMA (2001): *Drepanostoma nordestense* (LUCENA, 1953) (Pulmonata: Planorbidae): a new record for the Bolivian Altiplano and its differentiation by morphology and enzymes. – Journal of Molluscan Studies, 67 (1): 7-16. London.
- * SPATZ, L., T.H.D.A. VIDIGAL, M.C.A. SILVA, S. MARIS GONZALEZ CAPPÀ & O.S. CARVALHO (2000): Characterization of *Biomphalaria orbignyi*, *Biomphalaria peregrina* and *Biomphalaria oligoza* by polymerase chain reaction and restriction enzyme digestion of the internal transcribed spacer region of the RNA ribosomal gene. – Memórias do Instituto Oswaldo Cruz, 95 (6): 807-814. Rio de Janeiro.
- * YONG, M., A. GUTIERREZ, G. PERERA, P. DURAND & J.P. POINTIER (2001): The *Biomphalaria havanensis* complex (Gastropoda: Planorbidae) in Cuba: a morphological and genetic study. – Journal of Molluscan Studies, 67 (1): 103-111. London.

POMATIASIDAE

- * GRIFFITHS, O.L. (2000): Nine new species of Mascarene land snails (Mollusca: Gastropoda). – Molluscan Research, 20 (2): 37-50.

PUNCTIDAE

- * ABDOU, A. & P. BOUCHET (2000): Nouveaux gastéropodes Endodontidae et Punctidae (Mollusca, Pulmonata) récemment éteints de l'archipel des Gambier (Polynésie). – Zoosystema, 22 (4): 689-707. Paris.



Pholeoteras euthrix - Bole, 1975, Razprave SAZU, 18: fig.1.

STREPTAXIDAE

- * GRIFFITHS, O.L. (2000): Nine new species of Mascarene land snails (Mollusca: Gastropoda). – Molluscan Research, 20 (2): 37-50.

TESTACELLIDAE


- * KITTEL, K. (2000): Bemerkenswerte, ungewöhnliche und wenig bekannte Mollusken, IV. Die Braune Rucksackschnecke *Testacella maugei* A. FÉRUS-SAC 1819 und ihre Verbreitung in Portugal (Pulmonata, Testacellidae). – Club Conchylia Informationen, 32 (4-6): 5-10. Ludwigsburg.

VALVATIDAE


- * FALNIOWSKI, A., M. SZAROWSKA & K. MAZAN (2000): Mating system in Valvatidae – a preliminary study (Gastropoda: Heterostropha). – Malakologische Abhandlungen Staatliches Museum für Tierkunde Dresden, 20 (1, 3): 19-28. Dresden.

MISCELLANY

- * FORSYTH, R.G. (2001): Re-identification of terrestrial slugs from seabird nesting burrows off the west coast of Vancouver Island. – The Festivus, 33 (1): 9-10. San Diego.
- * HERÁN, I. & A. KURKA (2000): Václav PFLEGER 60 years old. – Casopis Národního muzea Rada přírodnovědná, 169 (1-4): 104-106. Praha. [portrait, bibliography]
- * HOCHBERG, F.G. & B. ROTH (2001): Walter B. MILLER (1918-2000): Molluscan taxa and bibliography. – The Veliger, 44 (1): 95-98. Santa Barbara.
- * SUVOROV, A.N. (2000): Functional morphology of pneumostomal area in terrestrial Pulmonata (Gastropoda). – Ruthenica, 10 (2): 89-104. Moskva.
- * GRANZOW, W. (2000): Abkürzungen und Symbole in der biologischen Nomenklatur. – Senckenbergiana Lethaea, 80 (2): 355-370. Frankfurt am Main.
- * BELL, K.N. (2000): Index to Molluscan Research (formerly Journal of the Malacological Society of Australia). – Molluscan Research, 20 (2): 57-84. > Index to the authors of volume 1-20 (1957-2000).
- * FISCHER, W. (2001): Registerband der Club Conchylia Informationen Jahrgang 1-31. – Club Conchylia Informationen, 31 (5-6): 1-52. > Detailed index to the papers published in Club Conchylia Information volumes 1-31.
- * ARTOIS, T. (2001): Phylogenetic nomenclature: the end of binomial nomenclature? – Belgian Journal of Zoology, 131 (1): 87-89.



Scutalus baroni - Schileyko, 1999, Ruthenica, Suppl. 2: fig. 377A.



12. *Styloptyx fornax* - Schileyko, 1999, Ruthenica, Suppl. 2: fig. 550.

VERTIGINIDAE

- * LUO, T.-C., D.-N. CHEN & G.-Q. ZHANG (2000): Two new species of Pupillidae from China (Pulmonata: Stylommatophora: Pupillidae). – Acta Zootaxonomica Sinica, 25 (2): 147-151.
- * MILDNER, P. (2000): Zur Verbreitung der Bauchigen Windelschnecke *Vertigo mouliniana* (DUPUY, 1849) (Gastropoda, Stylommatophora, Vertiginidae) in Kärnten. – Carinthia II, 110 (1): 172-180. Klagenfurt.
- * MILDNER, P. (2000): Zur Verbreitung von *Vertigo antivertigo* (DRAPARNAUD, 1801) und *Vertigo geyeri* (LINDHOLM, 1925) (Gastropoda, Stylommatophora, Vertiginidae) in Kärnten. – Carinthia II (2): 531-536. Klagenfurt.

**INTERNATIONAL CODE OF
ZOOLOGICAL NOMENCLATURE**

- * BODON, M., G. MANGANELLI & F. GIUSTI (2000): Case 3146. *Valvata minuta* DRAPARNAUD, 1805 (currently *Hauffenia*, *Neohoratia* or *Islamia minuta*; Mollusca, Gastropoda): proposed replacement of the lectotype by a neotype. – The Bulletin of Zoological Nomenclature, 57 (3): 144-146. London.
- * COWIE, R.H., A.R. KABAT & N.L. EVENHUIS (2001): Case 3175. *Ampullaria canaliculata* LAMARCK, 1822 (currently *Pomacea canaliculata*; Mollusca, Gastropoda): proposed conservation of the specific name. – The Bulletin of Zoological Nomenclature, 58 (1): 13-18. London.
- * VAN OSSELAER, C., F. CHÉROT, B. TURSCH & T. BACKELJAU (2001): Case 3158. *Helix lucorum* LINNAEUS, 1758 and *Helix punctata* MÜLLER, 1774 (currently *Otala punctata*; Mollusca, Gastropoda): proposed conservation of usage of the specific names by the replacement of the syntypes of *H. lucorum* with a neotype. – The Bulletin of Zoological Nomenclature, 58 (1): 8-12. London.

- * Case 2926. E. GITTEMBERGER (2000): *Trichia* HARTMANN, 1840 (Mollusca, Gastropoda): proposed conservation; and *Trichiinae* LOZEK, 1956 (Mollusca): proposed emendation of spelling to *Trichiinae*, so removing the homonymy with *Trichiidae* Fleming, 1821 (Insecta, Coleoptera). – The Bulletin of Zoological Nomenclature, 57 (1): 17-23. London.
> See comments by: E. GITTEMBERGER, J. GOUD, W.J.M. MAASEN, H.P.M.G. MENKHORST, T.E.J. RIPKEN, A.J. DE WINTER & R.A. BANK (2000), The Bulletin of Zoological Nomenclature, 57 (3): 166-167; D. KADOLSKY (2001), The Bulletin of Zoological Nomenclature, 58 (1): 53; F.-T. KRELL (2001), The Bulletin of Zoological Nomenclature, 58 (1): 54-56.
- * Case 3087. F. GIUSTI, G. MANGANELLI & M. BODON (1998): *Hydrobia* HARTMANN, 1821 and *Cyclostoma acutum* DRAPARNAUD, 1805 (currently *Hydrobia acuta*; Mollusca, Gastropoda): proposed conservation by replacement of the lectotype of *H. acuta* with a neotype; *Ventrosia* RADOMAN, 1977: proposed designation of *Turbo ventrosus* MONTAGU, 1803 as the type species; and *Hydrobiina* MULSANT, 1844 (Insecta, Coleoptera): proposed emendation of spelling to *Hydrobiina*, so removing the homonymy with *Hydrobiidae* TROSCHEL, 1857 (Mollusca). – The Bulletin of Zoological Nomenclature, 55 (3): 139-145. London.
> See comments by: D. KADOLSKY (2001), The Bulletin of Zoological Nomenclature, 58 (1): 56-58.
- * OPINION 1957 (2000): *Sphaerius* WALTL, 1838 (Insecta, Coleoptera): conserved; and *Sphaeriidae* ERICHSON, 1845 (Coleoptera): spelling emended to *Sphaeriidae*, so removing the homonymy with *Sphaeriidae* DESHAYES, 1854 (1820) (Mollusca, Bivalvia). – The Bulletin of Zoological Nomenclature, 57 (3): 182-184. London.
- * OPINION 1965 (2001): *Euchilus* SANDBERGER, 1870 and *Staliota* BRUSINA, 1870 (Mollusca, Gastropoda): *Bithinia deschiensiana* DESHAYES, 1862 and *Paludina desmarestii* PRÉVOST, 1821 designated as the respective type species, with the conservation of *Bania* BRUSINA, 1896. – The Bulletin of Zoological Nomenclature, 58 (1): 63-65. London.