
**REGIONAL / REGIONAAL**

- * WELLS, F.E., S.M. SLACK-SMITH & W. BRYCE, 2000. - Molluscs of the Montobello Islands [check list]. - In: Berry, P. & F.E. Wells: Survey of the Marine Fauna of the Montobello Islands, Western Australia and Christmas Island, Indian Ocean. — Rec. Western Austr. Mus. suppl. 59: 29-46.
- * DELONGUEVILLE, Chr., 2001. - Aperçu de la faune marine littorale dans l'Isfjorden (Svalbard) gastéropodes - bivalves. (with English abstract) — Novapex 2(1): 9-19.
- * SMIT, M. DE & K.BÁBA, 2000. - Data to the molluscan fauna of South Kefallonia (Greece). — Soosiana 21(23-28): 55-64.
- * ROLÁN, E. & J. TEMPLADO, 2000. - A peculiar high-tidal molluscan assemblage from the Madeiran boulder beach. — Iberus 18(2): 77-97.
- * PALAZZI, S. & A. VILLARI, 2001. - Mollusks and Brachiopods from the Submarine Caves of Taormina, Sicily. (in English and Italian). — La Conchiglia 32(297 suppl.): 1-56.

POLYPLACOPHORA (Class)

- * SAITO, H., 2000. - The Chitons of the Seto Inland Sea, Japan. — Mem. Natn. Sci. Mus., Tokyo 33: 97-104.
- * PELBÁRT, J., 2000. The systematic relationships of the Class Polyplacophora (Mollusk) — Soosiana 21(23-28): 65-72.



Some types of Chitons. - Soosiana 21(23-28): 65-72.

- * CARMONA ZALVIDE, P., F.J. GARCÍA & V. URGORRI, 2000. - New anatomical and taxonomical data on the Genus *Chiton*

**TIJDSCHRIFTARTIKELEN
JOURNAL PAPERS**

Artikelen over mariene weekdieren in andere tijdschriften. Buikpotigen en tweekleppigen per familie in alfabetische volgorde.

Papers about marine molluscs in other magazines. Gastropods and bivalves per family in alphabetical order.

Linnaeus, 1758 from the Iberian Peninsula. (in Spanish with English abstract)

— Iberus 18(2): 1-15.

- * CARMONA ZALVIDE, P. & F.J. GARCÍA GARCÍA, 2000. - The genus *Lepidochiton* Gray, 1921 in the Atlantic littoral of Iberian Peninsula. (in Spanish with English abstract) — Iberus 18(2): 17-30.

- * OSORIO RUIZ, C., M.E. AMÍREZ CASALI, A.M. MORA TAPIA & M. VEGA PETOKVIC, 2000. - *Plaxiphora mercatoris* Leloup, 1936 from Easter Island, Chile. (in Spanish with English abstract) — Iberus 18(2): 41-50.

- * SIRENKO, B., 2001. - Deep-sea chitons from sunken wood off New Caledonia and Vanuatu. (avec résumé en Français) — In: Tropical Deep-Sea Benthos (see new books): 39-71.

MONOPLACOPHORA (Class)

- * See under Gastropoda (general) (2).

GASTROPODA (Class)**GENERAL / ALGEMEEN**

- * RUSCOE, C., 2001. - An insight into collecting sinistral shells. — Pallidula 31 (1): 19-22.

- * WARÉN, A. & PH. BOUCHET, 2001. - Gastropoda and Monoplacophora from hydrothermal vents and seeps; new taxa and records. [Neolepetopsidae, Pyropeltidae, Trochidae, Skeneidae, Lepetodrilidae, Neomphalidae, Peltospiridae, Phenacolepadidae, Neritidae, Provanidae, Cerithiopsidae, Elachisiniidae, Vitrinellidae, Buccinidae, Conidae, Hyalogyrinidae, Orbitestellidae, Xyloclidiidae] — The Veliger 44(2): 116-232.

- * VERMEIJ, G.J., 2001. - Innovation and evolution at the edge: origins and fates of gastropods with a label tooth. — Biol. J. of the Linnean Soc. 72(4): 461-508.

- * SYSOEV, A. & PH. BOUCHET, 2001. - New and uncommon turrid gastropods from the South-West Pacific. — In: Tropical Deep-Sea Benthos (see new books): 272-320.

ATLANTIDAE

- * SEAPY, R.R. & C. SKOGlund, 2001. -

First records of Atlantid heteropod mollusks from the Golfo di California. — The Festivus 33(4): 33-44.

BUCCINIDAE

- * MIENIS, H.K., 2001. - Additional data concerning the distribution of *Nassaria acuminata* in the Red Sea. — Triton 3: 14.

BURSIDAE

- * VERDEJO GUIRAO, J.F., 2001. - About *Bursa scrobilator* Linné, 1758. — La Conchiglia 33(298): 14-19.

* See under Cancellariidae.

CAECIDAE

- * SILVA ABSALÃO, R. & R. DOS SANTOS GOMES, 2001. - The species usually reported in the subgenus *Brochina* from Brazil and some relevant type specimens from western Atlantic. — Boll. Malacologica 37(1-4): 9-22.

CANCELLARIIDAE

- * KARNEKAMP, C., 2001. - Een groot verschil in afmeting bij *Cancellaria solida* Sow., 1822. — De Kreukel 37(1): 6-7.
- * TRILLÓ, P., 2001. - New findings of *Cancellaria similis* Sowerby, 1833 and *Bursa scrobilator* Linné, 1758 off Sicily. — La Conchiglia 33(298): 57-58.

CONIDAE

- * PETUCH, E.J., 2000. - A review of the conid subgenus *Purpuriconus* da Motta, 1991. - Ruthenica 10(2): 81-87.

- * DELSAERDT, A., 2001. - *Conus proximus proximus* and *Conus proximus cebensis*. (met Nederlandse vertaling) — Gloria Maris 39(4): 84-85.

CYPRAEIDAE

- * VELDSMAN, V., 2000. - Notes on the South African endemic Cypraeidae: *Cypraeovula* Gray, 1824, *Luponia* Broderip, 1837; and *Crossia* Shikama, 1974. — The Strandloper 263: 1-6.

- * LIMPALAËR, L., 2001. - Trois trésors Malcaches. — Xenophora 94: 27-28.

- * HEIMAN, E.L., 2001. - Variability of cowry populations. 9. *Lyncina lynx* (L., 1758) from the east coast of Sinai. 10. Cowries with dark margins ("nigrocincta"). 11. *Bistolida erythraeensis*

(Sowerby, 1837) in the Sinai Area of the Gulf of Aqaba and its comparison with *B. stolidia* (L., 1758). 12. *Purpuradusta gracilis* (Gaskoin, 1848) from Sina coast. 13. On the identity of *Purpuradusta microdon* (Gray, 1828) in the Sinai Area of the Gulf of Aqaba. 14. A long toothed form of *Erosaria erosa* (L., 1758). 15. About *Erosaria nucleus sturanyi* in the Gulf of Aqaba. — Triton 3: 5-8, 17-29.

* HEIMAN, E.L., 2001. - Abnormalities in Cowries. 1. Rostrated shells of *Erosaria nebrites* (Melvill, 1888). — Triton 3: 31-32.

ELLOBIIDAE


* KIMURA, S., 2000. - The Ellobiid Fauna of Miyakojima Island, Okinawa Pref., Soutwestern Japan. (in Japanese with English abstract) — The Chiribotan 31(3): 69-84.

EPTONIIDAE

* JONCKHEERE, I., 2001. - Witte wenteltrap *Eptonium clathratum* op een golfbreker te Koksjde. — De Strandvlo 21(2): 53-57.

EULIMIDAE

* MYERS, B.W., C.M. HERTZ & J. GEMMELL, 2001. Eulimidae from the San Felipe Area, Baja California, México, in the Gemmell collection. — The Festivus 33(5): 49-56.



Left: *Eulima salsa* (Bartsch, 1927). 15.4 mm.
Right: *Eulima townsendi* (Bartsch, 1917). 5.4 mm. — The Festivus 33(5): 49-56.

JANTHINIDAE

* BIAGI, V. & F. BIAGI, 2001. - Report of two different landings of Siphonophora belonging to genera *Vellella* and *Porpita* and gastropods of genus *Janthina* Röding, 1798 along the Tuscany coast during 1997-2000. — La Conchiglia 33 (298): 35-38.

LITTORINIDAE

BROKENSHERE, A., 2001. - *Littorina obtusata* - flat winkle (Linné, 1758) the not-so-flat. — Pallidula 31(1): 23.

* CAZALIS, P., 2001. - Le Bigorneau commun (*Littorina littorea*). — Xenophora 94: 8-11.

MARGINELLIDAE

- * DE-SOUZA, P.J.S. & G.A. COOVERT, 2001. - Revision of the Recent *Bullata* Jousseaume, 1875. — The Nautilus 115(1): 1-14.
- * BOYER, F., 2001. - The genus *Granulina* in the Canary Islands. — Boll. Malacologica 37(1-4): 27-32.

MURICIDAE


- * ÖZTÜRK, B., Z. ERGEN & M. ÖNEN, 2001. - Muricidae fauna of Izmir Bay (Aegean Sea). — Triton 3: 1-4.
- * ÖZTÜRK, O. & C. ÇEVİK, 2001. The presence of *Chauvetia turritellata* (Deshayes, 1835) in Izmir Bay (Aegean Sea). — Boll. Malacologica 37(1-4): 7-8.

NASSARIIDAE

- * KOOL, H.H. & H.L. STRACK, 2000. - Result of the Rumphius Biohistorical Expedition to Amboin (1990) Part 9. The Nassariidae. — Zoöl. Meded. 73(12-13): 225-238.
- * KOOL, H.H., 2001. - A re-evaluation of *Nassarius delicatus* (A. Adams, 1852). — Vita Marina 47(4): 167-173.

NERITIDAE

- * KRJUNEN, Ch., 2001. - The true identity of *Nerita peloronta* Linnaeus, 1758 (met Nederlandse vertaling). — Gloria Maris 39(4): 59-68.



Nerita peloronta L., 1758 uit Sowerby and Sowerby, pl. 188. — Gloria Maris 39(4): 59-68.

PATELLIDAE

- * TTSELAR, F.F.L.M., 2001. - Erratum. A revision of the recent European Patellidae. Part 1. — Vita Marina 47(4): 174.

PYRAMIDELLIDAE

- * BUZZORRO, G., A. HOARAU, E. GREPPI & J. PELORCA, 2001. - Prima signalazione di *Hinemoa cylindrica* (de Folin, 1879) per il Mediterraneo. (with English abstract) — Boll. Malacologica 37(1-4): 23-26.
- * DIAS PIMENTA, A. & R. SILVA ABSALÃO, 2001. - The genera *Bacteridium* Thiele, 1929 and *Careliopsis* Mörch, 1875 from the east coast of South America. — Boll. Malacologica 37(1-4): 41-48.
- * CAMPANI, E. et al., 2001. - Report of *Odostomia (Auristomia) ignorata* (Monterosato, 1917) from the Trapani coast (northwest Sicily). — La Conchiglia 33(298): 23-24.

RISSOIDAE

- * HASEGAWA, K., 2000. - Rissoidae of the Seto Inland Sea, Japan. — Mem. Natn. Sci. Mus., Tokyo 33: 105-116.
- * ÁVILA, S.P., 2000. - The shallow water Rissoidae of the Azores and some aspects of their ecology. — Iberus 18(2): 51-76.



Alvania bicinctulata.
Iberus 18(2): 51-76.

STROMBIDAE

- * PÉREZ PÉREZ, M. & D. ALDANA ARANDA, 2000. - Distribución, abundancia, densidad y morfometría de *Strombus gigas* en el Arrecife Alacranes, Yucatán, México. (with English abstract) — Rev. Biol. Trop. 48 (suppl. 1): 51-57.
- * MIENIS, H.K., 2001. - New record of *Canarium urceus* from the Red Sea. (met Nederlandse samenvatting) — De Kreukel 37(4): 59.

THYASIRIDAE

- * KAMENEV, E. & V.A. NADTOCHY, 2000. - *Mendicula ferruginea* (Forbes, 1844) from the Far Eastern Seas of Russia. (in Russian with English abstract) — Ruthenica 10(2): 147-158.

TRICHONOPHORIDAE

- * EGOROV, R. & D. ALEXEYEV, 1998. - Trichonophoridae. — Treasures of Russian shells, vol. 2: 3-36.

TRIVIIDAE


- * DOLIN, L., 2001. - Les Triviidae de l'Indo-Pacifique : Révision des genres *Trivia*, *Dolichupis* et *Trivellona*. (with extended English abstract) — In: Tropical Deep-Sea Benthos (see new books): 201-241.

TROCHIDAE

- * DELONGUEVILLE, CHR. & R. SCAILLET, 2001. - Confirmation de la présence de *Calliostoma conulus* (Linnaeus, 1758) dans les eaux du Finistère (Bretagne - France). (with English abstract) — Novapex 2(1): 20.
- * CROTHERS, J.H., 2001. - Common top-shells: an introduction to the biology of *Ostrea lineatus* with notes on other species in the genus. — Field Studies 10(1): 115-160.

TURBELLIDAE

- * DARRAGH, Th., 2001. - *Columbarium* in the Swain Reefs Area of Queensland. — Keppel Bay Tidings 39(4): 1,3.




Tuditavasum armigera A.Adams, 1855. Sinistral and dextral specimens. - Keppel Bay Tidings 39(4): 1,3.

VANIKORIDAE

- * ROLÁN, E. & F. RUBIA, 2001. - Nueva información sobre *Macromphalus tyroi*. (with English abstract) — Boll. Malacologica 37(1-4): 33-34.

VELUTINIDAE

- * GULBIN, V.V. & A.N. GOLIKOV, 2001. - A review of the Prosobranch family Velutinidae of cold and temperate waters of northern hemisphere V. Onchidiopsisinae. — Ophelia 54(2): 119-132.



Onchidiopsis (Bulloobchidiopsis) maculata Derjugin, 1937. - Ophelia 54(2): 119-132.

BIVALVIA

GENERAL / ALGEMEEN

- * HYLLEBERG, J., 2000. - Illustrated dictionary. Technical terms and common words used in descriptions of bivalves. — Phuket Marine Biol. Center Spec. Publ. 21(2): 551-581.

ARCIDAE

- * MIENIS, H.K., 2001. - Additional cases of blister pearl formation in *Barbatia barbata* and *Arca noae* from Israel. — Triton 3: 11.
- * MIENIS, H.K., 2001. - A curious form of pearl formation in *Anadara vellicata* from the Red Sea. — Soosiana 21(23-28): 51-54.

CARDIIDAE

- * VIDAL, J., 2000. - Genus *Vetricardium* Iredale, 1929. — Phuket Marine Biol. Center Spec. Publ. 21(2): 447-464.

CHAMIDAE

- * See under Spondylidae (3).

ENTOLIIDAE

- * See under Pectinidae

LIMIDAE

- * MIENIS, H.K., 2001. - The nomenclature of the largest *Lima* from the Red Sea, with a note on blister pearls in *Lima vulgaris*. — Triton 3: 12.

MACTRIDAЕ

- * VONGPANICH, V., 2000. - Family Mactridae in Thai Waters. — Phuket Marine Biol. Center Spec. Publ. 21(2): 483-498.
- * HYLLEBERG, J., J. KNUDSEN & V. VONGPANICH, 2000. - The species described by Lorentz Spengler in his "Beskrivelse over Dettoskallede Conchyliie-slaagt Mactra". A translation into English. — Phuket Marine Biol. Center Spec. Publ. 21(2): 499-518.

MYTILIDAE

- * SCHNEIDER, B., 2000. - Three species of Mytilidae from Western Australia. — Australasian Shell News 108: 1,3.
- * MIENIS, H.K., 2001. - On the nomenclature and distribution of paper mussels (*Amygdalum*). — Triton 3: 16.
- * RUSSO, P., 2001. - Great Concentration of *Xenostrobus securis* (Lamarck, 1819) in Different Areas of the Po River Delta. — La Conchiglia 33(298): 49-50.

OSTREIDAE

- * ÇEVİK, C., B. ÖZTÜRK & G. BUZZURO, 2001. - The presence of *Crassostrea virginica* (Gmelin, 1791) and *Saccostrea commercialis* (Iredale & Roughley, 1933) in the Eastern Mediterranean Sea. — La Conchiglia 33(298): 25-28.
- * See under Spondylidae (3).

- * MIENIS, H.K., 2001. - Convergency in shell form between *Lopha cristagalli* and *Dendrostrea frons*, with the description of a blister pearl in the latter from the Red Sea. (met Nederlandse samenvatting) — De Kreukel 37(4): 58.

PECTINIDAE

- * DIJKSTRA, H.H., 2001. - Bathyal Pectinoidea (Bivalvia: Propeamussiidae, Entoliidae and Pectinidae) from Wallis and Futuna Islands, Vanuatu Archipelago and New Caledonia. — In: Tropical Deep-Sea Benthos (see new books): 73-95.

POROMYIDAE

- * KRYLOVA, E.M., 2001. - Septibranchiate molluscs of the family Poromyidae


from the tropical western Pacific Ocean. (avec résumé en Français) — In: Tropical Deep-Sea Benthos (see new books): 165-200.

PROPEAMUSSIIDAE

- * See under Pectinidae.

SPONDYLIDAE

- * MIENIS, H.K., 2001. - Blister pearl formation in *Spondylus* and *Tridacna* caused by boring organisms. — Triton 3: 9.
- * LAMPRELL, K.L. & H. DEKKER, 2001. - Rectification of nomenclature and notes on species of *Spondylus* Linnaeus from the Indo-Pacific. — Vita Marina 47(4): 131-137.
- * ÇEVİK, D., 2001. - Recent Immigrant Bivalves in the Northeastern Mediterranean off Iskenderun. — La Conchiglia 33(298): 39-46.



Spondylus spinosus Schreibers, 1793. La Conchiglia 33(298): 39-46.

- * LAMPRELL, K.L. & J.M. HEALY, 2001. - Spondylidae from New Caledonian and adjacent waters. — In: Tropical Deep-Sea Benthos (see new books): 111-163.

TRIDACNIDAE

- * See under Spondylidae (1).

UNGULINIDAE

- * MIENIS, H.K., 2001. Blister pearls in *Diplodonta rotundata*. — The Conch. Newsletter 157: 31.

VENERIDAE

- * MIENIS, H.K., 2001. - *Paphia (Protapes) sinuosa* in the Red Sea. — Triton 3: 13.

SLUGS / NAAKTSLAKKEN

- * JENSEN, K.R., 2000. - An outline of the systematics and classification of Nudibranchia. — Phuket Marine Biol. Center Spec. Publ. 21(2): 431-446.
- * DAYRAT, B., 2001. - Indo-Pacific deep-water Pleurobranchaeida: New records and new species. — In: Tropical Deep-Sea Benthos (see new books): 321-330.
- VALDÉS, A., 2001. - Deep-water phyllidiid nudibranchs from the tropical southwest Pacific Ocean. — In: Tropical Deep-Sea Benthos (see new books): 331-368.

- * PERRONE, A.S. & M. DONEDDU, 2001. - Pattern convergence in Nudibranchia of the genus *Chromodoris* Alder & Hancock, 1855 from the Red Sea and Polycladida from the Mediterranean Sea. — *Vita Marina* 47(4): 121-130.

CEPHALOPODA (Class)

- * SEVERIJNS, N., 2001. - Strandings of the cuttlebones of the Cuttlefishes *Sepia elegans* (d'Orbigny, 1826) and *Sepia orbignyanus* Ferussac, 1826 at the Belgian coast. (met Nederlandse vertaling) — *Gloria Maris* 39(4): 73-83.
- * LU, C.-C. & R. BOUCHER-RODONI, 2001. - Cephalopods from the waters around Wallis and Futuna Islands in the central South Pacific. — In: *Tropical Deep-Sea Benthos* (see new books): 369-396.

FOSSILS

- * FRASSINETTI, C. D., 2000. - Moluscos del Plioceno Superior marina de Isla Guajo, Sur de Chile. Parte II. Gastropoda. — *Boletin Mus. Nacional de Hist. Nat. Chile* 49: 131-161.
- * URLICH, M., 2000. - *Germananautilus* aus dem Unterkarnium der Dolomiten (Obertrias, Italia). — *Stuttgarter Beitr. Naturk. ser. B*, no. 291: 1-13.
- * YU WEN, 2001. - The earliest Cambrian Polyplacophorans from China. — *Rec. W. Australian Mus.* 20(2): 167-185.
- * SCHMELZ, G.W., 2001. - Revision of the Architectonicidae from the Miocene Chipola Formation, Oak Grove Sand, and Shoal River Formation of northern Florida. — *The Nautilus* 115(1): 22-28.


- * JANSEN, A., 2001. - Een linksgewonden *Gibberula [miliaris* L., 1766; Miocene]. — *De Kreukel* 37(2): 27-28.
- * PETERS, N., 2001. - Miocene Mollusca uit Liessel. — *Afzettingen WTKG* 22(2): 30-32.
- * BOELE, J., 2001. - Mollusken en andere fossielen uit een boring in Sliedrecht. — *Afzettingen WTKG* 22(2): 34-36.

FIELDTRIPS / VELDWERK

- * WELSH, J., 2001. - Shell collecting on the western coast of Scotland (or "where have all the *Calliostoma* gone"). — *Pallidula* 31(1): 11-12.
- * SEVERIJNS, N., 2001. - Verslag van de reis naar St. Jacut-de-la-Mer, Bretagne (15-19 april 1999). — *De Strandvlo* 21(2): 58-80.
- * ALMASI, E.S., 2001. - A visit to the friendly islands of Tonga ... and Samoa, July 2000. — *Of Sea and Shore* 23(4): 209-218.
- * COIGNE, S., 2001. - Pêcheur à la Grecque. — *Xenophora* 94: 12-15.
- * DELONGUEVILLE, C. & R. SCAILLET, 2001. Aperçu de la faune marine littorale dans l'Ilsfjorden (Svalbard) gastropodes - bivalves. — *Novapex* 2(1): 9-19.
- * COUCO, E., 2001. - Masthead Island revisited. — *Keppel Bay Tidings* 40(1): 1, 3-4.
- * DELONGUEVILLE, C. & R. SCAILLET, 2001. - Promenade malacologique en Irlande. — *Novapex/Société* 2(2): 74-78.

MISCELLANIOUS / VARIA

- * MIDDLEFART, P., 2000. - Photographing living aquatic molluscs - UW-Photography. — *Australasian Shell News* 108: 7-8.
- * THACH, N.N., 2001. - A number of freak shells from Vietnam. — *Of Sea and Shore* 23(4): 224, 228-234.



(L.,1758).
Freak, 139 mm,
off Quang Ngai,
Vietnam -
Of Sea and Shore
23(4): 224, 228-
234.

- * JOSSE, M., 2001. - Propositions pour une révision du Compendium of Seashells de R. Tucker Abbott & Peter Dance. (2e partie et fin). — *Xenophora* 94: 18-23.
- * SIDOIS, J.P., 2001. - *Caulerpa taxifolia*, Histoire d'une algue pas comme les autres ou comment des "coquillages" peuvent être utilisés au service de l'éologie. — *Xenophora* 94: 30-35.
- * TAX, C.J.H.M., 2001. - Strombidae in Art, part 2. — *Vita marina* 47(4): 139-165.
- * DUBHLAOIDH, P., 2001. - Looking behind the outer shell: the chemical structure, care and conservation of mother-of-pearl. — *The Conch. Newsletter* 156: 464-472.