

**ARTIKELEN IN TIJDSCHRIFTEN**  
**(JOURNAL PAPERS: CONTINENTAL MALACOLOGY)**

R.A. Bank


*References to malacological articles published in journals. Sorted in the following order of succession: Faunistics/Ecology – Fossil Assemblages – Bivalvia – Gastropoda (alphabetically rubricated at the family level) – Miscellanea – Publications in the Bulletin of Zoological Nomenclature (new cases – comments on previous cases – Opinions). Within each item, papers are ordered alphabetically on the name of the first author.*

**FAUNISTICS/ECOLOGY**

- Antonova, V. & I. Dedov (2002): Terrestrial gastropods (Gastropoda: Pulmonata) in the Zemen Gorge (SW Bulgaria). - Historia Naturalis Bulgarica, 14: 79-87. Sofia. [Russian]
- Cameron, R.A.D. (2002): The land mollusca of North Ronaldsay, Orkney: human intervention and island faunal diversity. - Journal of Conchology, 37 (5): 445-453. London.
- Chatfield, J. & R. Hill (2002): Conchological Society field meeting to Sydenham Hill Wood and Dulwich Wood, south east

London. - The Conchologists' Newsletter, 162: 241-243. London.

- Dayrat, B. & S. Tillier (2002): Evolutionary relationships of euthyneuran gastropods (Mollusca): a cladistic re-evaluation of morphological characters. - Zoological Journal of the Linnean Society, 135 (4): 403-470. London.
- Forsyth, R.G. (2001): New records of land snails from the mountains of northwestern British Columbia. - The Canadian Field-Naturalist, 115 (2): 223-228.
- Irikov, A. (2002): Species composition and zoogeographical characterization of
- London. - The Conchologists' Newsletter, 162: 241-243. London.
- Dayrat, B. & S. Tillier (2002): Evolutionary relationships of euthyneuran gastropods (Mollusca): a cladistic re-evaluation of morphological characters. - Zoological Journal of the Linnean Society, 135 (4): 403-470. London.
- Forsyth, R.G. (2001): New records of land snails from the mountains of northwestern British Columbia. - The Canadian Field-Naturalist, 115 (2): 223-228.
- Irikov, A. (2002): Species composition and zoogeographical characterization of
- the terrestrial shell malacofauna (Mollusca: Gastropoda) in the Dobrostanski ridge of the Western Rhodopes with ecological notes. - Historia Naturalis Bulgarica, 14: 89-102. Sofia. [Russian]
- Itoigawa, J. & N. Izawa (2002): A survey of molluscan fauna of mangrove swamps in Nansei-shoto, Southwest Japan. - Science Report of the Toyohashi Museum of Natural History, 12: 17-28. Toyohashi. [Japanese].
- Jansen, B. (2002): Mollusken in Flevoland - De stand van zaken. - De Kreukel, 38 (5-6): 65-69. Diemen.



- Kappes, H. (2002): Mollusken (Mollusca: Gastropoda et Bivalvia) der NSG "Reihenkrater Mosenberg" und "Horngraben und Kleine Kyl" bei Bettenfeld (Kreis Bernkastel-Wittlich, Eifel). - Mitt. dtsh. malakozool. Ges., 68: 23-29. Frankfurt am Main.
- Martins-Silva, M.J. & M. Barros (2002): Occurrence and distribution of fresh-water molluscs in the Riacho Fundo Creek Basin, Brasilia, Brazil. - Revista de Biologia Tropical, 49 (3-4) [2001]: 865-870. San José.
- Millar, A.J. & S. Waite (2002): The relationship between snails, soil factors and calcitic earthworm granules in a coppice woodland in Sussex. - Journal of Conchology, 37 (5): 483-503. London.
- Moreno-Rueda, G. (2002): Habitat selection by *Iberus gualterianus*, *Rumina decollata* and *Sphincterochila candidissima* (Gastropoda: Pulmonata) in a Spanish southeastern sierra. - Iberus, 20 (1): 55-62. Oviedo. [Spanish]
- Mouthon, J. (2002): Changements de la




Fig. 7. *Sphincterochila candidissima* - M.P. Kerney & R.A.D. Cameron, 1980, Elsevier's Slakkengids: figure on page 238.

- composition et de la structure des peuplements de mollusques de la partie nord du lac d'Annecy (Savoie, France) entre les années 1929-1939 et l'époque actuelle. - Revue Suisse de Zoologie, 109 (2): 343-354. Genève.
- Schröder, K. & H. Kobialka (2001): Veränderungen der Molluskenfauna im Laubwald-Komplex des NSG :Reithbruch" seit 1880 (Niedersachsen, Landkreis Osterholz). - Abhandlungen des Naturwissenschaftlichen Vereins zu Bremen, 45 (1): 111-123. Bremen.
- Tappert, A. (2002): Molluskenzönosen von Waldstandorten des Pfälzerwaldes und der angrenzenden Rheinebene (unter Bildung von Zönosengruppen). - Schriften zur Malakozoologie, 19: 1-159. Cismar.
- Thiengo, S.C., M.A. Fernandez, M.F. Boaventura, S.B. Santos & A.C. Mattos (2002): Freshwater snails and *Schistosomiasis mansoni* in the state of Rio de Janeiro, Brazil: II - Centro Fluminense Mesoregion. - Memórias do Instituto Oswaldo Cruz, 97 (5): 621-626. Rio de Janeiro.

#### FOSSIL ASSEMBLAGES

- Bates, M.R., D.H. Keen, J.E. Whittaker, J.S. Merry & F.F. Wenban-Smith (2002): Middle Pleistocene molluscan and ostracod faunas from Allhallows, Kent, UK. - Proceedings of the Geologists' Association, 113 (3): 223-236.

- Bibus, E., W. Rähle & J. Wedel (2002): Profilaufbau, Molluskenführung und Parallelisierungsmöglichkeiten des Altwürmabschnitts im Lössprofil Mainz-Weisenau. - Eiszeitalter und Gegenwart, 51: 1-14. Hannover.
- Geary, D.H., A.W. Staley, P. Müller & I. Magyar (2002): Iterative changes in Lake Pannon *Melanopsis* reflect a recurrent theme in gastropod morphological evolution. - Paleobiology, 28 (2): 208-221.
- Jass, C.N., J.I. Mead, A.D. Morrison & L.D. Agenbroad (2002): Late Pleistocene mollusks from the southern Black Hills, South Dakota. - Western North American Naturalist, 62 (2): 129-140. Provo.
- Jensen, C., J.G.J. Kuiper & K.-D. Vorren (2002): First post-glacial establishment of forest trees: early Holocene vegetation, mollusc settlement and climate dynamics in central Troms, North Norway. - Boreas, 31 (3): 285-301. Oslo.

#### BIVALVIA

- Altaba, C.R. & M.A. López (2001): Experimental demonstration of viability for the endangered giant pearl mussel *Margaritifera auricularia* (Bivalvia: Unionoida) in its natural habitat. - Bolletf de la Societat d'Història Natural de les Balears, 44: 15-21. Palma de Mallorca.
- Körnig, G. (2002): Seltene Pisidienarten in Sachsen-Anhalt. - Mitt. dtsh. malakozool. Ges., 68: 9-13. Frankfurt am Main.
- Matsuoka, K. (2002): *Cristaria plicata* (Leach, 1815) from the Pleistocene Tsunozu Formation of Yunotsu-machi, Shimane Prefecture, Japan. - Science Report of the Toyohashi Museum of Natural History, 12: 37-39. Toyohashi. [Japanese]
- Velasco Marcos, J.C., R. Araujo Armero, R. Bueno Hernández & A. L. Laguna Gumié (2002): Discovered the southernmost known European population of the freshwater pearl mussel *Margaritifera margaritifera* L. (Bivalvia, Unionoida), in the Iberian peninsula (Agueda River, Salamanca). - Iberus, 20 (1): 99-108. Oviedo.
- Watters, G.T. (2002): The kinetic conglomerate of the creeper freshwater mussel, *Strophitus undulatus* (Say, 1817). - Journal of Molluscan Studies, 68 (2): 155-158. London.
- Widarto, T.H. (2001): Aspects of the glochidial stage of a freshwater mussel living in tropical areas (*Velesunio ambiguus*, Philippi). - Tropical Biodiversity, 7 (2-3): 121-135.

#### GASTROPODA

##### ACHATINIDAE

- Daget, J. (2001): Sur la forme typique de *Limicolaria kambeul* (Gastropoda, Achatinidae). - Haliotis, 30: 23-32. Paris.
- Struthers, M., G. Rosair, J. Buckman & C. Viney (2002): The physical and chemical microstructure of the *Achatina fulica*

- epiphragm. - Journal of Molluscan Studies, 68 (2): 165-171. London.

#### ARIONIDAE

- Kirch, R. (2002): Zwei neue Funde von *Arion hortensis* A. Féussac 1819 in Nordrhein-Westfalen (Gastropoda: Arionidae). - Mitt. dtsh. malakozool. Ges., 68: 15-22. Frankfurt am Main.
- McGraw, R., N. Duncan & E. Cazares (2002): Fungi and other items consumed by the blue-grey taildropper slug (*Prophysaon coeruleum*) and the papillose tail-dropper slug (*Prophysaon dubium*). - The Veliger, 45 (3): 261-264. Santa Barbara.

#### ASSIMINEIDAE

- Killeen, I.J. & J.M. Light (2002): The status, distribution and ecology of *Paludinella littorina* (delle Chiaje, 1828) (Gastropoda: Assimineidae) in the British Islands. - Journal of Conchology, 37 (5): 551-563. London.

#### BAICALIIDAE

- Röpstorff, P., J.M. Healy, F. Riedel & T.Y. Sitnikova (2002): Comparative sperm ultrastructure of Baikalian endemic prosobranch gastropods. - Journal of Molluscan Studies, 68 (2): 111-126. London.

#### BRADYBAENIDAE

- Seki, K., S. Inoue & T. Asami (2002): Geographical distributions of sibling species of land snails *Bradybaena pellucida* and *B. similaris* in the Boso Peninsula. - Venus, 61 (1-2): 41-48. Tokyo.

#### CAMAENIDAE

- Murphy, M.J. (2002): Mollusc conservation and the New South Wales threatened species conservation act 1995: the recovery program for Mitchell's Rainforest Snail *Thersites mitchellae*. - Australian Zoologist, 32 (1): 1-11. Mosman.
- Puslednik, L. (2002): Dietary preferences of two species of *Meridolum* (Camaenidae: Eupulmonata: Mollusca) in southeastern Australia. - Molluscan Research, 22 (1): 17-22. Sydney.

#### CARYCHIIDAE

- Nekola, J.C. & M. Barthel (2002): Morphometric analysis of *Carychium exile* and *Carychium exiguum* in the Great Lakes region of North America. - Journal of Conchology, 37 (5): 515-531. London.

#### CARYODIDAE

- Murphy, M.J. (2002): Observations on the behaviour of the Australian land snail *Hedleyella falconeri* (Gray, 1834) (Pulmonata: Caryodidae) using the spool-and-line tracking technique. - Molluscan Research, 22 (2): 149-164. Collingwood.

## CHAROPIDAE

- Bruggen, A.C. van (2002): *Trachycystis montissalinorum* spec. nov., a new charopid from the Soutpansberg complex in the Northern Province, South Africa (Mollusca: Gastropoda Pulmonata: Charopidae). - Zoologische Mededelingen, 76 (8): 83-88. Leiden.




Fig. 4. *Trachycystis montissalinorum* - A.C. van Bruggen, 2002, Zool. Meded., 76: 83-88 (figure 1-2)

## CLAUSILIIDAE

- Edlinger, K. (2002): *Clausilia runensis* Tschapeck 1883 - Eine subspecies mit diskreter Verbreitung? - Clun Conchylia Informationen, 34 (1-3): 9-18. Ludwigsburg.
- Eross, Z.P. & Z. Feher (2001): *Dobatia goettingi* Brandt, 1961 (Gastropoda: Clausiliidae) in Bulgaria. - Opuscula Zoologica, 33: 139-142. Budapest.
- Nordsieck, H. (2002): Annotated checklist of the South East Asian Phaedusinae, with the description of new taxa (Gastropoda, Pulmonata, Clausiliidae). - Basteria, 66 (1-3): 85-100. Leiden.
- Nordsieck, H. & E. Neubert (2002): How to determine clausiliid species, I: Widespread species of *Clausilia* Draparnaud (Gastropoda: Stylommatophora: Clausiliidae). - Mitt. dtsh. malakozool. Ges., 68: 31-36. Frankfurt am Main.
- Nordsieck, H. (2002): The subspecies classification of *Clausilia dubia* Draparnaud (Gastropoda: Stylommatophora: Clausiliidae), a critical revision. - Mitt. dtsh. malakozool. Ges., 68: 37-44. Frankfurt am Main.

## CYCLOPHORIDAE

- Emberton, K.C. (2002): *Owengriffithsius*, a new genus of cyclophorid land snails endemic to Northern Madagascar. - The Veliger, 45 (3): 203-217. Santa Barbara.

## ELONIDAE

- Kittel, K. (2002): Bemerkenswerte, ungewöhnliche und wenig bekannte Mollusken, VI. Das Landposthorn *Elona quimperiana* (Blainville 1821) mit einem Nachweis für Portugal (Pulmonata, Eloniidae). - Club Conchylia Informationen, 34 (1-3): 19-21. Ludwigsburg.

## ENIDAE

- Maassen, W.J.M. (2002): Discovered after nearly 150 years: *Coccoderma semmelinkii* spec. nov. from the island of Flores, Indonesia (Gastropoda, Pulmonata, Enidae). - Basteria, 66 (1-2): 83-84. Leiden.
- Parmakelis, A. & M. Mylonas (2002): Aspects of the reproduction and activity of two sympatric *Mastus* (Beck, 1837) species in Crete (Gastropoda: Pulmonata: Buliminidae). - Journal of Molluscan Studies, 68 (3): 225-233. London.




Fig. 3 *Mastus grandis* - A. Schileyko, 1998, Ruthenica, Suppl. 2 (2): 127-261 (figure 283)

## GASTROCOPTIDAE

- Chen, D.-N., G.-Q. Zhang & W.-H. Zhang (2002): A new species of the genus *Gastrocopota* from Guangxi, China (Pulmonata: Stylommatophora: Pupillidae). - Acta Zootaxonomica Sinica, 27 (3): 453-455.

## HELICARIONIDAE

- Emberton, K.C. (2002): *Kalidos griffiths-hauchleri* sp. nov., Madagascar's largest helicarionid snail (Pulmonata). - The Veliger, 45 (3): 259-261. Santa Barbara.

## HELICIDAE

- Baminger, H. & M. Haase (2002): Development of the sperm storage organ in *Arianta arbustorum* (Stylommatophora: Helicidae). - Journal of Molluscan Studies, 68 (2): 192-194. London.
- Cawley, M. & B. Colville (2001): *Theba pisana* (Müller) (Mollusca: Gastropoda) in West Cork. - Irish Naturalists' Journal, 26 (10): 380-381.
- Hänggi, C., R. Locher & B. Baur (2002): Intermating interval and number of sperm delivered in the simultaneously hermaphroditic land snail *Arianta arbustorum* (Pulmonata: Helicidae). - The Veliger, 45 (3): 224-230. Santa Barbara.

- Hasse, B., J.C. Marxen, W. Becker, H. Ehrenberg & M. Epple (2002): A crystallographic study of the love dart (gypsobelulum) of the land snail *Helix pomatia* (L.). - Journal of Molluscan Studies, 68 (3): 249-254. London.
- Kittel, K. (2002): Eine Abwehrreaktion bei *Helix pomatia*. - Club Conchylia Informationen, 34 (1-3): 45-46. Ludwigsburg.

- Landolfa, M.A. (2002): On the adaptive function of the love dart of *Helix aspersa*. - The Veliger, 45 (3): 231-249. Santa Barbara.

## HYDROBIIDAE

- Aguirre, M.L. & M.I. Urrutia (2002): Morphological variability of *Littoridina australis* (d'Orbigny, 1835) (Hydrobiidae) in the Bonaerensian marine Holocene (Argentina). - Palaeogeography, Palaeoclimatology, Palaeoecology, 183: 1-23.
- Feldmann, R. & P. Schlücking (2002): Reliktvorkommen und regionale Arealgrenze der Quellschnecke *Bythinella dunkeri* im Ruhr- und Möhnetal (NRW). - Natur und Heimat, 62 (1): 19-27. Münster.
- Martín, P.R. (2002): Evidence for parthenogenesis and natural imposex in the Patagonian freshwater snail *Heleobia hatcheri* (Gastropoda: Hydrobiidae). - Journal of Molluscan Studies, 68 (3): 291-295. London.
- Röpstorff, P., J.M. Healy, F. Riedel & T.Y. Sitnikova (2002): Comparative sperm ultrastructure of Baikalian endemic prosobranch gastropods. - Journal of Molluscan Studies, 68 (2): 111-126. London.
- Thompson, F.G. (2002): Te taxonomic status of the freshwater snail *Antillobia margalefi* Altaba, 1993, from Hispaniola (Hydrobiidae: Cochliopinae). - The Veliger, 45 (3): 264-267. Santa Barbara.
- Thompson, F.G. & R. Hershler (2002): Two genera of North American freshwater snails: *Marstonia* Baker, 1926, resurrected to generic status, and *Floridobia*, new genus (Prosobranchia: Hydrobiidae: Nymphophilininae). - The Veliger, 45 (3): 269-271. Santa Barbara.

## HYGROMIIDAE

- Carr, R. (2002): *Cernuella aginnica* confirmed as a British species. - Journal of Conchology, 37 (5): 565. London.
- Frias Martins, A. de (2002): *Moreletina*, a new genus of Hygromiidae (Pulmonata: Stylommatophora) from Santa Maria, Açores. - Journal of Molluscan Studies, 68 (3): 205-215. London.




Fig. 1. *Moreletina obruta* - A. de Frias Martins, 2002, Journal of Molluscan Studies, 68: 205-215 (figure 2).

- Quintana, J. & M. Vilella (2001): Sobre la validez taxonómica de *Trochoidea (Xerocrassa) cardonae* (Hidalgo, 1867) (Gastropoda: Hygromiidae). - Boletif de la Societat d'Història Natural de les Balears, 44: 41-55. Palma de Mallorca.

## LIMACIDAE

- Zhitsov, S.S. & A.A. Schileyko (2002): Morphology of reproductive system of *Bielzia coeruleans* (Gastropoda, Pulmonata) and phylogenetic relations of the genus *Bielzia*. - Ruthenica, 12 (1): 73-79. Moskva. [Russian]

## LYMNAEIDAE

- Biggs, J. & P. Williams (2002): A new Polish record for *Myxas glutinosa* (Müller). - Journal of Conchology, 37 (5): 579. London.

## MELANOPSIDAE

- Falniowski, A., J. Heller, K. Mazan-Marczarcz & M. Szarowska (2002): Genetic structure of populations of the closely related species of *Melanopsis* (Gastropoda: Cerithiacea) in Israel. - Journal of Zoological Systematics and Evolutionary Research, 40 (2): 92-104. Berlin.
- Geary, D.H., A.W. Staley, P. Müller & I. Magyar (2002): Iterative changes in Lake Pannon *Melanopsis* reflect a recurrent theme in gastropod morphological evolution. - Paleobiology, 28 (2): 208-221.

## NERITIDAE

- Sasaki, T. & H. Ishikawa (2002): The first occurrence of a neritopsine gastropod from a phreatic community. - Journal of Molluscan Studies, 68 (3): 286-288. London.

## OREOHELICIDAE

- Fairbanks, H.L. (2002): The reproductive anatomy, taxonomic status, and range of *Oreohelix alpina* (Elrod, 1901) (Gastropoda: Pulmonata: Oreohelicidae). - The Nautilus, 116 (2): 62-65.
- Meadows, D.W. (2002): The effect of roads and trails on movement of the Ogden Rocky Mountain snail (*Oreohelix peripherica wasatchensis*). - Western North American Naturalist, 62 (3): 377-380.

## OXYCHILIDAE

- Giusti, F. & G. Manganielli (2002): Redescription of two west European *Oxychilus* species: *O. alliarius* (Miller, 1822) and *O. helveticus* (Blum, 1881), and notes on the systematics of *Oxychilus* Fitzinger, 1833 (Gastropoda: Pulmonata: Zonitidae). - Journal of Conchology, 37 (5): 455-476. London.

## PHYSIDAE

- Anderson, R. (2002): *Physa* (*Physella*) *gyrina* (Say) (Mollusca: Pulmonata) in Lough Eske, East Donegal. - Irish Naturalists' Journal, 26 (11): 429.

## PLANORBIDAE

- Favre, T.C., O.S. Pieri, L.C. Zani, J.M. Ferreira, G.G. Domás, L. Beck & C.S. Barbosa (2002): A longitudinal study on the natural infection of *Biomphalaria straminea* and *B. glabrata* by *Schistosoma mansoni* in an endemic area of Schistoso-

miasis in Pernambuco, Brazil. - Memórias do Instituto Oswaldo Cruz, 97 (4): 465-475. Rio de Janeiro.

- Paraense, W.L. (2002): *Plesiophysa dolichostomastix* sp. n. (Gastropoda: Planorbidae). - Memórias do Instituto Oswaldo Cruz, 97 (4): 505-508. Rio de Janeiro.
- Paraense, W.L. (2002): The genus *Plesiophysa*, with a redescription of *P. ornata* (Haas, 1938) (Gastropoda: Planorbidae). - Brazilian Journal of Biology, 62 (2): 333-338.
- Stothard, J.R., N.J. Loxton & D. Rollinson (2002): Freshwater snails on Mafia Island, Tanzania with special emphasis upon the genus *Bulinus* (Gastropoda: Planorbidae). - Journal of Zoology, 257 (3): 353-364. London.
- Vianey-Liaud, M. & G. Dussart (2002): Aspects of pairing and reproduction in the hermaphrodite freshwater snail *Biomphalaria glabrata* (Gastropoda: Pulmonata). - Journal of Molluscan Studies, 68 (3): 243-248. London.

## PLEUROCERIDAE

- Minton, R.L. (2002): A cladistic analysis of *Lithasia* (Gastropoda: Pleuroceridae) using morphological characters. - The Nautilus, 116 (2): 39-49.
- Stewart, T.W. & J.E. Garcia (2002): Environmental factors causing local variation in density and biomass of the snail *Lepotaxis carinata*, in Fishpond Creek, Virginia. - The American Midland Naturalist, 148 (1): 172-180. Notre Dame.

## POMATIIDAE

- Pfenninger, M. (2002): Relationship between microspatial population genetic structure and habitat heterogeneity in *Pomatias elegans* (O.F. Müller 1774) (Caenogastropoda, Pomatiidae). - Biological Journal of the Linnean Society, 76 (4): 565-575. London.

## PUNCTIDAE

- Gittenberger, E. (2002): Spiraaltjes, het duintolletje en het dwergpuntje (Gastropoda, Pulmonata, Endodontidae). - Basteria, 66 (1-3): 10. Leiden.

## SUBULINIDAE

- Carr, R. (2002): Geographical variation of taxa in the genus *Rumina* (Gastropoda: Subulinidae) from the Mediterranean region. - Journal of Conchology, 37 (5): 569-577. London.
- Verdcourt, B. (2002): Two new species of *Curvellea* Chaper (Gastropoda, Pulmonata, Subulinidae) from the East Usambara Mts., Tanzania. - Basteria, 66 (1-3): 107-112. Leiden.

## SUCCINEIDAE

- Meretsky, V.J., E.G. North & L.E. Stevens (2002): Kanab ambersnail and other terrestrial snails in South Central Utah. - Western North American Naturalist, 62 (3): 307-315.

## THIARIDAE

- Verdcourt, B. (2002): *Girauda* Bgt. (Gastropoda, Thiariidae) a later homonym. - Journal of Conchology, 37 (5): 585. London.

## VERTIGINIDAE

- Bichain, J.-M. (2001): Nouvelles localités alsaciennes de *Vertigo moulinsiana* (Dupuy, 1849) et de *Vertigo angustior* Jeffreys, 1830 (Mollusca, Pulmonata, Vertiginidae). - Bulletin de l'Association Philomathique d'Alsace et de Lorraine, 37: 21-28. Strasbourg.




Fig. 5. *Vertigo angustior* - A. Schileyko, 1998, Ruthenica, Suppl. 2 (2): 127-261 (fig. 190)

## MISCELLANEA

- Aditya, G. & S.K. Raut (2002): Destruction of *Indoplanorbis exustus* (Planorbidae) eggs by *Pomacea bridgesi* (Ampullariidae). - Molluscan Research, 22 (1): 87-90. Sydney.
- Aditya, G. & S.K. Raut (2002): Predation of water bug *Sphaerodema rusticum* on the freshwater snails *Lymnaea (Radix) luteola* and *Physa acuta*. - The Veliger, 45 (3): 267-269. Santa Barbara.
- Aditya, G. & S.K. Raut (2002): Predation potential of the water bugs *Sphaerodema rusticum* on the sewage snails *Physa acuta*. - Memórias do Instituto Oswaldo Cruz, 97 (4): 531-534. Rio de Janeiro.
- Brodersen, J., M.J. Chimbari & H. Madson (2002): Laboratory experiments on snail-size selection by a snail predator, *Sargochromis codingtoni* (Pisces: Cichlidae). - Journal of Molluscan Studies, 68 (2): 194-196. London.
- Coan, E.V. & A.R. Kabat (2002): Notice and comments on a paper about S.C.T. Hanley. - The Festivus, 34 (8): 101-103. San Diego.
- Craze, P.G. & A.G. Barr (2002): The use of electrical-component freezing spray as a method of killing and preparing snails. - Journal of Molluscan Studies, 68 (2): 191-192. London.
- Frank, C. (2002): In memoriam Fritz Seidl (17.8.1936 - 8.7.2001). - Mitt. dtsch. malakozool. Ges., 68: 1-8. Frankfurt am Main.
- Hartenauer, K. & M. Schädler (2002):

- Eine Methode zur Markierung von Gehäuseschnecken. - Mitt. dtsch. malakozool. Ges., 68: 45-47. Frankfurt am Main.
- Hausdorf, B. (2002): Introduced land snails and slugs in Colombia. - Journal of Molluscan Studies, 68 (2): 127-131. London.
  - Hausdorf, B. (2002): Units in biogeography. - Systematic Biology, 51 (4): 648-652.
  - Izawa, N. & K. Matsuoka (2002): Catalogue of shell collection by Mr. Hiroshi Takakuwa donated to Toyohashi Museum of Natural History. 2. Gastropoda (part 3). Family Cyclophoridae - Family Plesiotrochidae. - Miscellaneous Report of the Toyohashi Museum of Natural History, 12: 1-26. Toyohashi. [Japanese].
  - Menez, A. (2002): The standardization of abiotic variable data collection in land mollusc research. - Journal of Conchology, 37 (5): 581-583. London.
  - Mienis, H.K. (2002): Jetplanes endangered by landsnails. - The Conchologists' Newsletter, 162: 202-203. London.
  - Olsen, K.M. (2002): Landsnegler i Norge - en oppsummering og en presentasjon av tre nye arter, *Oxychilus navarricus* (Bourguignat, 1870), *Lucilla singleyana* (Pilsbry, 1890) og *hawaii minuscula* (Binney, 1840). - Fauna, 55 (2): 66-77. Oslo.
  - Okutani, T. (2002): Obituary. Tadashige Habe (1916-2001). - Venus, 61 (1-2): 95. Tokyo.
  - Ponder, W.F. & D.J. Colgan (2002): What makes a narrow-range taxon? Insights from Australian freshwater snails. - Invertebrate Systematics, 16 (4): 571-582. Collingwood.
  - Ricklefs, R.E. & E. Bermingham (2002): The concept of the taxon cycle in biogeography. - Global Ecology & Biogeography, 11 (5): 353-361.
  - Schilthuizen, M. et al. (2002): Microsnails at microscales in Borneo: distributions of Prosobranchia versus Pulmonata. - Journal of Molluscan Studies, 68 (3): 255-258. London.
  - Verdcourt, B. (2002): Collectors in East

Africa. No. 31: Baron Carl Claus von der Decken (1833-1865). - The Conchologists' Newsletter, 162: 204-211. London.

- Verdcourt, B. (2002): Collectors in East Africa. No. 30: Robert [Robin] Kemp (1871-?) (part 2). - The Conchologists' Newsletter, 162: 215-237. London.
- Wu, M. (2002): Study on distribution and species diversity of China's stylommatophoran slugs (Stylommatophora: Gastropoda). - Acta Zootaxonomica Sinica, 27 (3): 447-452. [Chinese].




Fig. 8. L.J.M.  
Butot, 1954, Basteria, 18: 65-71.